Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG—TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF- 96
IDENTIFICATION NUMBER

COMMANDED BY

LT. C.C. REED, U.S.N.

Attached to
- _____ Division,
- SERVICE GROUP PEARL Squadron,
- _____ Flotilla,
- SERVICE FORCE U.S. PACIFIC Fleet,
- FOURTEENTH Naval District,

Commencing + 1Ø W 1 JANUARY, 19 64,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending + 9 V 31 JANUARY, 19 64,
(zone time and date)

at 3Ø-24.3 N 14Ø-Ø3.Ø W
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE WEDESDAY (Day) 1, (Date) _____ (Month), 19____

AT/PASSAGE FROM PEARL HARBOR, HARBOR TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	10	Sct	2999	78	75	4	2000	Cu			
02	040	4	10	Sct	2999	78	75	4	2000	Cu			
03	040	4	10	Sct	2999	78	75	4	2000	Cu			
04	040	4	10	Sct	2999	79	75	4	2000	Cu			
05	040	6	10	Sct	3000	79	75	3	2000	Cu			
06	030	6	10	Sct	3000	79	75	4	2000	Cu			
07	040	5	10	Sct	3000	79	74	4	2000	Cu			
08	040	5	10	Sct	3000	80	76	4	2000	Cu			
09	040	5	10	Sct	3000	82	77	4	2000	Cu			
10	050	4	10	Sct	3000	84	77	4	2000	Cu			
11	050	4	10	Sct	3000	86	78	4	2000	Cu			
12	050	4	10	Sct	2999	87	78	4	2000	Cu			
13	050	4	10	Sct	2999	87	79	4	2000	Cu			
14	040	4	10	Sct	2999	87	80	5	2000	Cu			
15	040	5	10	Sct	2999	87	80	5	2000	Cu			
16	035	5	10	Sct	2999	86	79	5	2000	Cu			
17	035	4	10	Sct	2999	84	78	4	2000	Cu			
18	035	4	10	Sct	2999	82	77	4	2000	Cu			
19	040	4	10	Sct	2999	80	77	4	2000	Cu			
20	040	4	10	Sct	2999	79	77	4	2000	Cu			
21	040	4	10	Sct	2999	79	77	4	2000	Cu			
22	040	4	10	Sct	3000	79	77	4	2000	Cu			
23	040	4	10	Sct	3000	80	77	4	2000	Cu			
24	040	4	10	Sct	3000	77	77	4	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT		BY _____
λ _____		BY _____
1200 L _____		BY _____
λ _____		BY _____
2000 L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

300

REMARKS

04-08 Moored as before 0740 Muttered crew on stations absentees none.

[illegible] Ens USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Nason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 1 (Date) JAN (Month), 19 64

NEW YEARS 1964
00-04
WITH LINES OF NYLON DOUBLED AFT AND TO FORE
AT BERTH ALFA SIX WE MADE OUR MOOR

PEARL HARBOR HAWAII IS OUR FAIR HOME
AND FROM IT TONIGHT WE DID NOT ROAM

IT IS STEAM, WATER AND A TELEPHONE WE NEED HERE
AND ALL OF THESE ITEMS COME FROM THE PIER

THE U.S. PACIFIC FLEET SO GRAY AND SO GRAND
IS MOORED TO THE PIERS AND WITH US THEY STAND

OUR LITTLE SHIP SO TOUGH AND SO STOUT
HAS SET MODIFIED YOKE TO KEEP THE WATER OUT

CINCPACFLT, SOPA, FROM THE HILL OBSERVES ALL,
WE HAVE THE DUTY THE REST HAVE A BALL

Robert M. Turner Ens USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R S Mason Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Wednesday (Day) 1 (Date) JAN. (Month) 1964

08-12. Moored as before. 1045 Made daily inspection of MAGAZINE AND smokeless powder SAMPLES.

RD Mason, Stjg, USNR

12-16 Moored as before

RD Mason, Stjg, USNR

16-20 Moored as before. 1800 SET MATERIAL condition YOKE. (Modified).

RD Mason Stjg, USNR

20-24 Moored as before

RD Mason Stjg, USNR

APPROVED: CC Reed Lt U.S.N. COMMANDING

EXAMINED: RD Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Thursday (Day) 2 (Date) JAN (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	SCT	3000	76	72	4	1300	Cu			
02	040	4	10	SCT	3000	76	72	4	1300	Cu			
03	040	4	10	CLR	3001	76	72	—	—	—			
04	040	4	10	CLR	3002	75	72	—	—	—			
05	046	4	10	CLR	3003	75	72	—	—	—			
06	045	4	10	CLR	3003	75	72	—	—	—			
07	060	4	10	CLR	3002	77	72	—	—	—			
08	060	4	10	CLR	3002	77	72	—	—	—			
09	080	4	10	CLR	3002	78	74	—	—	—			
10	080	4	10	CLR	3003	82	76	—	—	—			
11	095	8	10	CLR	3002	84	76	—	—	—			
12	100	8	10	CLR	3002	86	77	—	—	—			
13	110	8	10	SCT	3001	88	77	1	1000	Cu			
14	110	8	10	CLR	2999	86	78	—	—	—			
15	090	10	10	CLR	2999	85	78	—	—	—			
16	090	10	10	SCT	2999	84	76	2	1000	Cu			
17	080	12	10	SCT	2998	84	75	1	1000	Cu			
18	080	13	10	SCT	2997	82	74	1	1000	Cu			
19	080	10	10	SCT	2998	80	74	1	1000	Cu			
20	070	8	10	SCT	2999	79	73	2	1000	Cu			
21	060	8	10	SCT	2998	79	73	1	1000	Cu			
22	060	6	10	SCT	2998	78	73	1	1000	Cu			
23	060	4	10	SCT	2997	78	72	1	1000	Cu			
24	060	4	10	SCT	2997	77	72	1	1000	Cu			

POSITION	ZONE	TIME
0800		
L 21°17 N	BY	3
λ 157°56 W	BY	3
1200		
L 21°09'N	BY	3
λ 158°00'W	BY	3
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA	
FROM	0800 2 Jan
TO	1300 (ZT) 2 Jan (Date)
SET	070
DRIFT	.5 KTS

POSITION BETWEEN FIXES	
MID. L	—
MID. λ	—

MILES STEAMED 0000–2400
83

FUEL CONSUMED 0000–2400
901

REMARKS

00-04 MOORED STARBOARD side to berth AIEA-6, U.S. NAVAL STATION, Pearl Harbor, Hawaii with STANDARD MOORING lines doubled. Receiving fresh water and telephone services from the pier. MATERIAL CONDITION YOKE Modified is SET. Ships PRESENT include various units of the U.S. Pacific Fleet Yard and district craft. SDPA is CINCPACFLT.

R D Mason, Ltjg, USNR

04-08 Moored as before. 0700 Commenced preparations for getting underway. SET MATERIAL condition Yoke. 0710 SET the SEA Sea and Anchor detail.* 0720 COMPLETED all preparations for getting underway. DRAFT: forward 14'8", AFT 16'. 0728 Underway from AIEA-6 for 21-17.7 N; 157-56.5 W in accordance verbal orders of COMHAWSEAFRON in order to tow STRANDED JAPANESE TUNA Boat. 0730 MANEUVERING to clear berth. 0732 COMMENCED STEERING various courses at various Speeds

* Captain and Navigator on the bridge; OOD has the conn.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 2 (Date) January (Month), 1964

04-08 (CONT) TO head FAIR in CHANNEL. 0732 C/S TO 9 KTS. 0735 C/C TO 155°T passed buoy 6 abeam TO PORT DISTANCE about 4 yards. 0737 passed buoy 5 abeam TO STARBOARD DISTANCE about 75 yards. 0738 C/C TO 156°. 0740 passed buoy 4 abeam TO PORT DISTANCE about 50 yards. 0744 CAPTAIN HAS THE CONN

R R Mason, Ltjg

04-08 (Cont) 0745 C/C 096°; 0750 C/S 3.3 Kts. 0752 C/C 090°, 0753 commenced maneuvering on various courses and speeds in preparation for anchoring. 0757 anchored in 15 fathoms of water, sand and coral bottom, position 21-17.7 N, 157-56.2 W off Keehi Lagoon, Pearl Harbor Hawaii. Anchor holding.

J C Hollis. CWO 2 USN

08-12 Anchored as before. 0806 ~~Starboard~~ PORT MWB in the water, Salvage officer aboard Underway to grounded Vessel HONOR MARU. 0831 MWB returned to the Ship. 0850 MWB Underway to grounded vessel to pick up ailing Crew member. 0905 MWB returned to the ship with patient (Japanese national) 0906 MWB Underway with patient, Ens Turney and Ripley HM1 for alfa pier. Ship standing by for further orders from Com Ser pac Salvage Representative. 0911 Released from standing by grounded Vessel, Underway, Captain has the Conn. Navigator is on the bridge. 0913 R/C 30°, C/S 9.5 Kts, 0916 steady on course 270°, 0917 OOD has the Conn, Secured the special Sea and Anchor Detail. 0959 C/C 301°, 298°, C/S 3.3 Kts. 1002 set the Special Sea and Anchor Detail, made preparations for entering port. 1012 Captain has the Conn, Commenced steering various Courses and speeds while entering outer pearl Harbor channel. 1016 OOD has the Conn. base course 333°, 1017 passed between buoys 1 & 2 approximately 100 yds to port & Stbd. 1035 MWB aboard, 1037 Captain has the Conn. 1047 USN YTL-571 alongside with series AO target sled # 590. 1050 Reversed course in outer basin and proceeding to sea and local op area. 1056 OOD has the Conn, base course 153°, speed 9.5 Kts. 1103 target veered to 3007 ft. commenced increasing speed. 1120 Speed 14.3 Kts. 1121 passed into International Waters, C/C 200°, 1147 C/C 204°, Made daily Inspection of Magazines and Smokeless powder Samples. Conditions Normal.

J C Hollis. CWO 2 USN

12-16 Underway as before: 1313 C/C to 270°, 1321 C/S to 8.5 Kts. 1329 C/C to 230° 1336 C/C to 250° C/S to 6.7 Kts. 1400 Commenced exercise Z-21-6 with USS Chipola (AO-63). Steering various courses at various speeds while conducting Gunnery exercise 1420 Secured Z-21-6, Commenced Z-27-6, 1450 secured Z-27-6 Commenced Z-25-6 1518 secured Z-25-6, ~~1553~~ Commenced Z-21-6 1530 secured Z-21-6 commenced Z-27-6. 1540 secured Z-25-6, 1553 secured Z-25-6 Commenced Z-27-6

Lus Turney Ens USN

16-20 Underway as before: 1600 C/C 050°, 1607 C/S 9.5 Kts. 1608

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R R Mason, Ltjg U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month), 19__

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 2 (Date) January (Month) 1964

16-20 (Cont'd) c/s 6.7 Kts. Commenced heaving in sled to 900 ft. Completed exercise 7-27-6 with USS Chipola (AO-63) and released to return to port. 1627 sled at 900 ft on the Brake. c/s 9.5 Kts. 1630 c/s 12.3 Kts. 1632 c/s 13.3 Kts. 1633 c/c 040°. 1704 c/c 032°. 1821 commenced making preperations for entering port. 1834 passed into Inland Waters, set the Special Sea And Anchor detail. 1841 c/c 330°. 1843 c/s 12.3 Kts. 1844 c/s 9.5 Kts. Heaved in sled to 300 ft. 1845 c/s 6.7 Kts. 1846 c/c 330°. 1847 passed Buoy #2 to Stbd 75 yds. Commenced maneuvering on various courses + speeds while entering the pearl Harbor Channel + outer harbor. 1855 sled snubed up to stern. 1903 passed Buoy #6 abeam to stbd. 35 yds. 1905 commenced approach to alfa 2 berth. 1919 moored port side to alfa 2 Berth U.S. Naval station, pearl Harbor, Hawaii, outboard of U.S.S. CURRENT (ARS-22) with std mooring lines doubled. 1923 secured the Special sea and anchor detail. 1950 USN YTL-571 Underway from astern with Series 40 sled #590.

Jas. Hollis CWO 2-USN

20-24 MOORED AS BEFORE

J E Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 3 (Date) JANUARY (Month), 1964

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	4	10	Sct	2999	76	74	5	1800	SC			
02	050	4	10	Sct	2999	76	74	5	1800	SC			
03	050	4	10	BKN	2999	75	74	7	1800	SC			
04	060	4	10	BKN	3000	74	72	7	2000	SC			
05	060	4	10	Bkn	3001	73	70	8	2000	SC			
06	070	4	10	L	3003	71	69	10	2000	ST			
07	110	4	6	L	3003	71	69	10	2000	ST			
08	110	10	6	OVC	3001	71	69	10	2000	ST			
09	090	11	10	BKN	3002	72	70	9	2000	ST			
10	090	10	10	BKN	3004	74	70	8	2000	SC			
11	085	12	10	BKN	3005	76	70	8	2000	SC			
12	075	12	10	BKN	3006	76	70	8	2000	Cu			
13	065	14	10	BKN	3007	77	71	8	2000	Cu			
14	060	14	10	Sct	3005	77	71	8	2000	Cu			
15	060	7	10	Sct	3004	77	71	8	2000	Cu			
16	060	6	10	Sct	3003	78	72	7	2000	Cu			
17	040	5	10	Sct	3002	79	72	5	2000	Cu			
18	040	4	10	Sct	3001	76	72	5	2000	Cu			
19	040	4	10	Sct	2999	76	71	5	2000	Cu			
20	040	4	10	Sct	3000	77	71	6	2000	ST			
21	040	6	10	BKN	3000	77	71	7	2000	ST			
22	040	4	10	L	2999	76	71	10	2000	ST			
23	040	4	10	L	3000	77	71	10	2000	ST			
24	040	4	10	L	3000	76	71	10	2000	ST			

POSITION	ZONE	TIME
0800 L	20 54 0N	BY 3
λ	158 20 W	BY 3
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 17

FUEL CONSUMED 0000-2400: 489

REMARKS

ØØ-Ø4 MOORED PORTSIDE TO, OUTBOARD OF USS CURRENT (ARS-22) IN BERTH ALFA TWO US NAVAL STATION, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

J E Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø7ØØ MUSTERED CREW ON STATIONS. ABSENTEES NONE. COMMENCED PREPARATIONS FOR GETTING UNDERWAY. SET CONDITION YOKE. Ø715 SET SPECIAL SEA DETAIL. CAPTAIN + NAVIGATOR ON THE BRIDGE. OOD WAS THE CONN. DRAFT FWD 13'10" AFT 16'5" Ø726 UNDERWAY IN ACCORDANCE WITH COMFLT TRA GEN OP ORD 1-64 FOR LOCAL OPAREA. MANEUVERING VARIOUS COURSES AT VARIOUS

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R R Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) FRIDAY (Day) 3 JAN (Date) (Month) 19 64

0704-0708 (Cont) Speeds To Clear Berth And Head Fair In Channel. 0734 Headed Fair In Channel On Course 155° Speed 9 Kts 0742 Passed Buoy 1 Abeam Stbd Approx 50 Yards. Secured Special Sea And Anchor Detail 0758 C/C To 093°

J E Horton
LTJG USN.

08-12 Underway as before. 0810 c/s AB ½ (110RPM). 0813 c/s allstop-Commenced exercise 2-5-S with USS Safeguard (ARS-25) 0836 towing Hawser aboard-and made fast. 0838 Safeguard underway. 0849 towing Hawser cast off. 0854 all lines clear. 0855 Secured from the 2-5-S exercise. 0856 c/s 7.3Kts 0859 c/s 12.3Kts c/c 287°, 0902 Commenced conducting man overboard exercise - Steering Various Courses and speeds while recovering life rings and "Oscar" 0911 secured from exercise c/s 9.5 Kts c/c 287°. 0913 Exercised the crew at General Quarters drills. Lt(jg) Horton has the Comm and deck. 1906 material condition Zebra set. 0928 Set material Condition Yoke. 0934 Secured from General Quarters exercises - 0935 set the Special sea and Anchor detail, made preparations for entering port 0939 Lt(jg) Mason has the deck and Com. Captain and navigator on the Bridge.

J.L. Hollis CWO2, USN

08-12 (Con't). Underway as before. 0943 entered inland waters; C/C To 335°. 0947 C/C To 338. 0954 passed buoy No. 4 abeam to stbd distance about 50yds. 1000 Passed buoy No. 6 abeam to stbd distance about 25yds; C/S To 6.7. 1002 C/S 3.3KTS. 1004 COMMENCED steering various courses at various speeds to make approach to berth A-6. 1012 Moored starboard side to berth A-6, U.S. Naval Station, Pearl Harbor, Hawaii. SOPA is CINCPACFLT. Ships present include various units of the U.S. Pacific Fleet.

D D Mason, Lt(jg), USNR

08-12 (Con't) moored as before. 1018 secured the special sea and anchor detail. 1135 made daily inspection of magazine & smokeless powder samples. Conditions Normal. Made weekly test of sprinkler system. Test satisfactory.

J.L. Hollis. CWO2, USN

12-16 moored as before. 1418 USS Reclaimer (ARS-42) moored outboard & port. 1516 USS Reclaimer (ARS-42) underway.

J.L. Hollis. CWO2

16-20 moored as before. 1630 serie sled #574 moored alongside to port. 1800 Set material condition yoke (modified).

J.L. Hollis. CWO2 USN

20-24 moored as before.

J.L. Hollis CWO2 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION +10W DATE SATURDAY (Day) 4 (Date) JAN (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	L	R	3000	74	73	10	800	St			
02	040	2	8	L	3000	74	73	10	800	St			
03	040	2	6	R	3000	75	74	10	800	St			
04	045	2	10	L	3000	75	75	10	800	St			
05	060	2	10	L	3000	75	74	10	800	St			
06	060	3	10	L	3000	75	74	10	800	St			
07	100	4	10	OVC	2995	76	24	10	800	SC			
08	1100	4	10	OVC	2999	77	74	10	1000	SC			
09	130	4	10	OVC	2999	79	75	10	1000	SC			
10	130	5	10	BKN	2999	81	75	9	2000	SC			
11	130	5	10	BKN	3000	84	76	8	2000	SC			
12	090	8	10	BKN	3001	84	76	8	2000	SC			
13	090	10	10	BKN	3001	84	76	8	2000	SC			
14	090	10	10	BKN	2999	83	75	7	2000	SC			
15	090	14	8	SCT	2998	82	75	6	2000	SC			
16	070	13	8	SCT	2998	81	75	5	2000	SC			
17	070	12	10	SCT	2998	80	75	5	2000	SC			
18	040	11	10	SCT	2999	79	74	5	2000	SC			
19	040	10	10	SCT	2998	79	74	4	2000	SC			
20	040	8	10	SCT	2997	79	73	4	2000	SC			
21	040	6	10	SCT	2997	78	72	3	2000	SC			
22	040	4	10	SCT	2997	77	71	2	2000	SC			
23	040	3	10	SCT	2997	77	71	2	2000	SC			
24	040	2	10	SCT	2997	76	71	2	2000	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 20°54'5N		BY
λ 158°14W		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET 080

DRIFT 2KTS

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 86

FUEL CONSUMED 0000–2400: 900

REMARKS

00-04 moored starboard side to berth alpha six (A-6) U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Series 40 sled #574 moored outboard to part. Receiving potable water and telephone service from the pier. Material Condition yoke (modified) set. Ships present include Various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is CinC Pac. Flt.

J. D. Hollis. CWO2, USN

04-08 moored as before; 0640 Fleet ~~Camera~~ photo triangulation party (four (4) men) aboard. 0700 mustered the Crew on Stations; Absentees: None. Commenced making preperations for getting underway. 0711 set the Sectional Sea detail. ~~0727~~ Captain and navigator ~~and~~ on the Bridge, 0727 Underway for local ops area in accordance with ComFltTraGpu op order - 1-64 maneuvering at various speeds & courses while clearing berth and streaming target sled. 0736 sled at 150 ft. C/C 165 C/S 6.7 Kts. 0739 passed

APPROVED: C C Reed CAPT U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) SATURDAY (Day) 4 (Date) JAN (Month) 19 64

04-08 (cont) buoy 9 abeam to stbd approx 1507 ft. 0740 C/C 153°, C/S 8.9 Kts. 0749 sled at 300 ft. 0750 C/S 10.1 Kts. passed Buoy #1 abeam approx 1507 ft. 0752 veered sled to 600 ft. 0754 C/C 152°, C/S 11.3 Kts. 0757 C/S 12.3 Kts. 0759 C/C 153°.

J.D. Hollis. CWO-2-USN

0 8-12 Underway as before: 0800 C/S 13.1 Kts, 0804 C/C 210°, passed into International waters. 0833 C/C 215°, 0902 C/S 11.0 Kts. 0903 C/S 8.5 Kts. 0904 C/S 4.7 Kts. 0905 C/S 0.0 Kts. 1039 C/C 270°. 1043 Sled streamed to 3600 ft. 1100 C/C ~~270~~ 250°, 1104 C/C 220°. 1104 1105 C/S 6.7 Kts. 1123 made daily inspection of magazines: Conditions: Normal. 1133 C/C 930°, 1137 Ens Turner has the Deck and Comm. 1148 Commenced exercise Z-21-6 with USS MT Baker (AE-4)

J.D. Hollis, CWO-2 USN

12-16

~~08-12 (cont)~~ Underway as before. ~~1148 Commenced exercise Z-21-6 with USS MT Baker (AE-4)~~; Steering various courses at various speeds while providing services for gunnery exercise. Base course 230° base speed ~~5 Kts~~. 1313 Secured exercise Z-21-6 1320 Commenced Exercise Z-27-6 with USS MT Baker. 1400 completed exercise Z-27-6 and are released to proceed to Port. 1407 C/C to 040° 1412 C/S to 9.5 Kts. 1427 Sled at 600 ft, on the brake. C/S to 12.3 Kts. 1430 C/S to 13.3 Kts.

Lt Turner Ens USN

12-16 (cont) 1541 Lt(jg) Horton has the Conn.

JD Hollis. CWO2 USN

16-20 Underway As Before. 1626 C/C to 035°

J.E. Horton
LTJG USN

16-20 (Cont) Underway as before 1741 Inland waters C/C to 338° Set special sea and anchor detail. Captain and navigator on the bridge. OOD has the Conn. 1748 Heaved sled in to 100' ~~20-24~~ 1750 Buoy 2 abeam to starboard 100'. Maneuvering at various courses and speeds to arrive at Sierra 18. 1803 YTL took Sems 40 sled #590 in tow from us. 1844 Moored Starboard side to outboard USS Tawakoni (ATF-114 at Sierra 18 US Naval Submarine Base Pearl Harbor. 1852 Secured special sea and anchor detail.

20-24 Moored as before

Lt Turner Ens USN

APPROVED: EXAMINED:

C Reed Lt U.S.N. COMMANDING — D S Mason, Jr Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Sunday (Day) 5 (Date) JAN (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	4	10	CLR	29.99	72	70	—	—	—			
02	045	4	10	CLR	29.99	72	70	—	—	—			
03	045	5	10	CLR	29.99	73	70	—	—	—			
04	050	5	10	Sct	30.00	73	70	3	1600	Cu			
05	050	6	10	Sct	30.00	74	70	4	2000	Cu			
06	050	6	10	Sct	30.00	76	72	5	2200	Cu			
07	050	6	10	BKN	29.99	76	72	8	2500	Sc			
08	050	6	10	BKN	29.99	80	72	8	2500	Sc			
09	050	5	10	OVC	29.99	80	72	10	5000	Sc			
10	060	5	10	OVC	30.00	81	73	10	5000	Sc			
11	050	4	10	OVC	30.01	81	74	10	5000	Sc			
12	070	3	10	OVC	30.02	81	74	10	5000	Sc			
13	070	3	10	OVC	30.03	82	72	10	5000	Sc			
14	090	3	10	Sct	30.02	82	72	5	1200	Cu			
15	090	5	10	Sct	30.01	82	72	5	1200	Cu			
16	090	5	10	Sct	30.00	81	72	4	1200	Cu			
17	090	7	10	Sct	3000	80	72	4	1200	Cu			
18	090	7	10	Sct	2999	79	72	4	1600	Cu			
19	090	7	10	Sct	2999	79	72	3	1600	Cu			
20	090	7	10	Sct	2998	78	72	3	1600	Cu			
21	090	5	10	CLR	2998	76	72	—	—	—			
22	090	5	10	CLR	2998	76	72	—	—	—			
23	090	5	10	CLR	2998	75	72	—	—	—			
24	090	5	10	CLR	2998	74	72	—	—	—			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 200

REMARKS

outboard USS TAWAKONI (ATF-114)

0000-04 moored ^ starboard side to ^ berth Seven eighteen (S-18) US Naval Submarine base Pearl Harbor Hawaii using standard mooring lines. Receiving fresh water and telephone service from the pier. Ships present include various units of the US Pacific fleet and yards and district small craft. Material condition Yoke modified as set. SOPA is ComCPac F.L.

Thos Turner Enc USN

0408 moored as before. 0745 mustered crew on station absentees none.

Thos Turner Enc USN

APPROVED: C C Reed Capt. U.S.N. COMMANDING

EXAMINED: R D Mason, Lcdr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 5 (Date) Jan (Month) 19 63

~~04~~-08-12 Moored as before. 1147 Made daily inspection of magazines.

R S Mason, Stjg. USNR

12-16 Moored as before.

R S Mason, Stjg, USNR

16-20 Moored as before 1800. ~~Made inspection of magazines.~~ Set material condition Yoke (Modified).

R S Mason
Stjg USNR

20-24 Moored as before

R S Mason, Stjg. USNR

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Monday (Day) 6 (Date) JAN (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	29.96	72	70	4	2000	St			
02	040	2	10	SCT	29.96	72	70	4	2000	St			
03	040	2	10	BKN	29.96	73	70	6	2000	St			
04	060	2	10	BKN	29.95	73	71	4	2000	St			
05	060	4	10	BKN	29.96	73	72	8	2000	St			
06	060	4	10	L	29.94	73	73	10	1000	St			
07	070	4	10	L	29.92	73	73	10	1000	St			
08	070	4	10	L	2990	74	73	10	1000	St			
09	075	4	10	L	29.81	75	74	10	1000	St			
10	080	6	10	L	29.88	76	75	10	1000	St			
11	090	6	10	L	29.86	78	75	10	1000	St			
12	090	6	10	R	29.88	77	75	10	1000	St			
13	110	6	10	L	29.86	77	75	10	1000	St			
14	110	4	10	L	29.86	78	76	10	1000	St			
15	110	4	10	L	29.84	77	77	10	1000	St			
16	110	4	10	R	29.89	77	77	10	1000	St			
17	100	4	10	L	2990	77	77	10	800	St			
18	100	2	10	L	2991	76	76	10	800	St			
19	100	2	10	OVC	2992	75	75	10	800	St			
20	100	2	10	OVC	2993	76	75	10	1000	St			
21	090	2	10	L	2994	77	75	10	1200	St			
22	090	2	10	L	2995	77	74	10	1200	St			
23	080	2	10	L	2996	78	74	10	1200	St			
24	080	2	10	BKN	2997	79	74	8	1200	St			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
100

REMARKS

00-04 Moored STARBOARD side To OUTBOARD of USS TAWAKONI (ATF-114) berth Sierra 18 Forward U.S. NAVAL Submarine Base, Pearl Harbor, Hawaii with STANDARD MOORING lines doubled. Receiving Fresh WATER and Telephone SERVICES FROM The pier. MATERIAL CONDITION YOKE (Modified) IS SET. Ships presents include VARIOUS Units of The U.S. Pacific Fleet. SOPA. IS CINCPACFLT.

R S Mason, Flyg, USNR

04-08 Moored AS before. 0745 Mustered The crew ~~on~~ AT Quarters. Absentees: NONE

R S Mason, Flyg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Flyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday (Day) 6 (Date) Jan (Month) 64

0800-1200 Moored As Before. 0815 Commenced Breasting Out To Permit USS Tawakoni (ATF-114) To Clear Berth. Captain On The Bridge. 0832 USS Tawakoni (ATF-114) Under Way And Clear of Berth. Commenced Hauling In To Berth 0847 Moored Starboard Side To In Berth Sierra Eighteen ~~Fow~~ Forward With ~~Standard~~ Standard Mooring Lines Doubled. 0911 0932 Made Daily Inspection of Magazines. Conditions Normal.

L E Horton
LTJG USN.

1200-1600 Moored As Before.

L E Horton
LTJG USN

1600-2000 Moored As Before 1800 Set Material Condition Yoke Modified

L E Horton
LTJG USN

2000-2400 Moored As Before.

L E Horton
LTJG USN

APPROVED: Reed LL U.S.N. COMMANDING

EXAMINED: R D Mason, Flyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 7 (Date) JAN (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	2999	77	73	—	—	—			
02	—	—	10	CLR	3000	77	73	—	—	—			
03	—	—	10	CLR	3000	78	73	—	—	—			
04	—	—	10	CLR	3000	78	73	—	—	—			
05	—	—	10	CLR	3000	79	73	—	—	—			
06	—	—	10	CLR	3000	79	72	—	—	—			
07	040	1	10	CLR	3000	79	37	—	—	—			
08	040	—	10	CLR	3000	79	73	—	—	—			
09	040	—	10	CLR	3000	80	73	—	—	—			
10	040	—	10	CLR	3000	80	73	—	—	—			
11	—	—	10	CLR	3000	81	74	—	—	—			
12	—	—	10	CLR	3000	83	75	—	—	—			
13	—	—	10	CLR	3000	85	75	—	—	—			
14	—	—	10	CLR	3000	87	75	—	—	—			
15	—	—	10	CLR	3000	86	76	—	—	—			
16	—	—	10	CLR	3000	85	75	—	—	—			
17	—	—	10	CLR	3000	84	74	—	—	—			
18	—	—	10	CLR	3000	82	74	—	—	—			
19	—	—	10	CLR	3000	80	73	—	—	—			
20	—	—	10	CLR	3000	79	73	—	—	—			
21	—	—	10	CLR	3000	79	73	—	—	—			
22	—	—	10	CLR	3000	79	73	—	—	—			
23	040	3	10	CLR	3000	78	73	—	—	—			
24	040	2	10	CLR	3000	77	73	—	—	—			

POSITION	ZONE	TIME
0800		
L INPORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
50

REMARKS

00-04 Moored Starboard Side To in Berth Sierra Eighteen Forward. US Submarine Base, Pearl Harbor, Hawaii With Standard Mooring Lines. Modified Material Condition Yoke Set. Receiving Electricity, Fresh Water, And Telephone Service From The Pier. Ships Present Include Various Units U.S. Pacific Fleet, Yard, And District Craft. SOPA. CinCPacFlt

J E Horton
LTJG USN.

04-08 Moored As Before. 0745 Mustered Crew At Quarters Absentees None.

J E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (CATF-96) Tuesday (Day) 7 (Date) JAN (Month), 1964

08-12 moored as before. 0958 made daily inspection of magazines. Conditions: normal.

J.L. Hollis, CWO-2, USN

12-16 moored as before.

J.L. Hollis, CWO-2, USN

16-20 moored as before. 1800 set material condition yoke (modified). 1830 mustered the inport duty fire party. Absentees: None.

J.L. Hollis, CWO-2, USN

20-24 moored as before.

J.L. Hollis, CWO-2, USN

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Wednesday (Day) 8 (Date) JAN (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	8	OVC	29.97	70	70	10	1500	Sc			
02	—	—	8	OVC	29.96	70	70	10	1500	Sc			
03	—	—	8	L	29.94	70	70	10	1500	St			
04	—	—	8	R	29.92	70	70	10	1000	St			
05	—	—	8	R	29.88	70	70	10	1000	St			
06	—	—	8	R	2986	70	70	10	1000	St			
07	—	—	8	R	2986	70	70	10	1000	St			
08	—	—	8	R	29.87	72	72	10	1000	St			
09	—	—	8	R	2988	72	71	10	1000	St			
10	—	—	8	R	2990	73	71	10	1000	St			
11	110	1	8	R	29 89	74	73	10	1000	St			
12	110	1	8	L	2984	75	72	10	1000	St			
13	110	2	8	L	2984	75	72	10	1000	St			
14	110	1	8	OVC	2990	76	72	10	1000	St			
15	—	—	8	OVC	2990	76	72	10	1000	St			
16	—	—	8	BKN	2990	75	72	8	1000	St			
17	—	—	8	BKN	2989	75	72	8	1000	St			
18	—	—	8	BKN	2991	74	72	8	1000	St			
19	—	—	8	BKN	2992	74	72	8	1000	St			
20	—	—	8	BKN	2993	74	72	8	1000	St			
21	—	—	8	BKN	2994	75	72	8	1000	St			
22	—	—	8	BKN	2996	74	72	8	1000	St			
23	—	—	8	BKN	2996	74	72	8	1000	ST			
24	—	—	8	BKN	2996	73	72	8	1000	ST			

POSITION	ZONE	TIME
0800		
L In port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
74

REMARKS

00-04 moored starboard side to berth Sierra Eighteen (S-18) U.S. naval Submarine Base, Pearl Harbor Hawaii with standard mooring lines doubled. material Condition Yoke (modified) Sept. Receiving potable water, Electrical power and telephone service from the pier. Ships present include various units of the U.S. pacific Fleet, district and small craft. SOPA is CinC, pacific.

J. A. Hollis. CWO 2-USN

04-08 moored as before. 0745 mustered the crew at Quarters. Absentees: None.

J. A. Hollis. CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Stg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Wednesday 8 JAN. 1964
(Day) (Date) (Month)

08-12 Moored as before. 0830 Made daily inspection of magazines; conditions normal.

Lm James Enslow

12-16. Moored as before.

Lm James Enslow

16-20 Moored as before 1800 Set material condition Yoke (modified)

Lm James Enslow

20-24 Moored as before.

Lm James Enslow

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R D Rosen, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Thursday (Day) 9 (Date) JAN (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	BKN	29.92	72	70	8	1500	Cu			
02	035	4	10	BKN	29.92	71	70	8	1500	Cu			
03	035	4	10	BKN	29.94	71	70	8	1500	St			
04	020	1	5	BKN	29.94	71	70	8	2100	St			
05	020	1	5	BKN	29.90	72	71	8	2100	St			
06	020	1	5	BKN	29.88	72	71	6	2100	St			
07	020	1	8	BKN	2986	74	70	6	2100	St			
08	020	2	6	BKN	29 86	75	74	7	2000	St			
09	060	1	8	L	2984	75	74	10	2000	St			
10	100	2	10	L	2982	75	75	10	2000	St			
11	100	1	7	L	2980	76	75	10	1500	St			
12	1100	5	7	L	2982	76	75	10	1500	St			
13	100	5	7	R	2982	76	75	10	1500	St			
14	1100	4	5	R	2984	76	76	10	1500	St			
15	100	4	6	BKN	2985	76	76	8	1500	St			
16	090	1	6	BKN	2986	78	76	8	1500	St			
17	090	1	7	BKN	2988	78	76	8	1500	St			
18	090	1	7	BKN	2990	78	76	8	1500	St			
19	090	2	8	BKN	2992	78	74	8	1400	ST			
20	080	2	8	BKN	2992	79	74	8	1400	ST			
21	080	2	9	BKN	2994	79	74	8	1400	ST			
22	070	2	9	BKN	2992	79	74	8	1400	ST			
23	070	2	10	BKN	2996	79	74	8	1400	ST			
24	070	2	10	BKN	2996	79	74	8	1400	ST			

POSITION	ZONE	TIME
0800		
L in port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 50

REMARKS

0004 Moored starboard side to berth seven eighteen (S18) US Naval Submarine Base, Pearl Harbor Hawaii with standard mooring lines doubled. Material Condition Yoke modified as set. Receiving fresh water, electrical power and telephone service from the pier. Ships present include various units of the US Pacific Fleet, yard and district small craft. SOPA is ComCPac Flt.

Wm Turner Ens USN

04-08 Moored as before. 0745 Mustered the crew at quarters. absentees none

Wm Turner Ens USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 9 (Date) JAN (Month) 19 64

08-12 Moored as before. 1018 Made daily inspection of magazines.

D S Mason, Stjg

12-16 Moored as before.

D S Mason, Stjg, USNR

16-20 Moored as before. 1800 Set material condition Yoke (Modified).

D S Mason, Stjg, USNR

20-24 Moored as before

D S Mason, Stjg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Friday (Day) 10 (Date) Jan (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	BKN	10	29.94	74	72	8	1500	ST			
02	040	4	BKN	10	29.94	74	72	8	1500	ST			
03	040	4	BKN	10	29.96	75	71	8	1500	ST			
04	040	5	BKN	10	29.98	74	72	8	1600	ST			
05	040	5	BKN	10	29.98	73	72	8	1600	ST			
06	050	5	BKN	10	29.98	75	71	8	1600	ST			
07	060	5	BKN	10	29.96	76	72	8	1700	ST			
08	050	8	BKN	10	29.96	77	72	8	1700	SC			
09	050	3	BKN	10	29.97	78	72	7	1700	SC			
10	050	1	Sct	10	30.00	79	72	5	1400	SC			
11	050	1	Sct	10	30.01	81	73	4	1600	Cu			
12	040	1	Sct	10	30.03	83	73	4	1600	Cu			
13	060	1	Sct	10	30.04	86	75	4	1600	Cu			
14	060	2	Sct	10	30.01	86	75	4	1600	Cu			
15	045	2	Sct	10	29.99	85	76	4	1600	Cu			
16	045	4	Sct	10	29.98	84	75	4	1600	Cu			
17	045	3	Sct	10	29.97	82	75	4	1600	Cu			
18	060	3	Sct	10	29.96	80	71	3	1600	Cu			
19	060	3	Sct	10	29.95	80	71	3	1600	Cu			
20	060	4	Sct	10	29.97	79	72	3	1600	Cu			
21	070	4	Sct	10	29.96	79	72	3	1600	Cu			
22	070	4	Sct	10	29.96	78	72	3	1600	Cu			
23	070	4	Sct	10	29.96	78	72	3	1600	Cu			
24	060	4	Sct	10	29.95	78	72	3	1600	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 50

REMARKS

00-04 Moored STARBOARD side To berth Sierra-18 forward U.S. NAVAL Submarine BASE, Pearl Harbor, Hawaii, with STANDARD MOORING LINES doubled. Receiving Electricity, Fresh water AND Telephone services from the pier. MATERIAL CONDITION YOKE (Modified) is SET. Ships PRESENT INclude VARIOUS units of The U.S. PACIFIC Fleet, yard and DISTRICT CRAFT. SOPA is CINCPACFLT.

R S Mason, Stgg, USNR

04-08 Moored AS before. 0745 MUSTERED The CREW at quarters. Absentees: NONE. 0750 COMMENCED CAPTAIN'S PERSONNEL INSPECTION.

R S Mason, Stgg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stgg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 10 (Date) JANUARY (Month) 19 64

0800-12 MOORED AS BEFORE. 0815 SECURED FROM COMMANDING OFFICERS PERSONNEL INSPECTION. 0935 MADE DAILY INSPECTION OF MAGAZINES AND CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. CONDITIONS NORMAL, TEST SATISFACTORY.

F E Horton
LTJG USN

1200-16 MOORED AS BEFORE. 1400 COMMENCED COMMANDING OFFICERS MATERIAL INSPECTION. 1513 SECURED FROM COMMANDING OFFICERS MATERIAL INSPECTION.

F E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

F E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

F E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 11 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAI TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	BKN	29.98	76	72	8	2000	Cu			
02	—	—	10	BKN	29.99	76	71	8	2000	Cu			
03	—	—	10	BKN	30.00	77	72	8	2000	Cu			
04	—	—	10	BKN	30.01	75	72	8	2000	Cu			
05	—	—	10	BKN	30.02	74	72	8	2000	Cu			
06	040	2	10	BKN	3003	74	72	8	2000	Cu			
07	040	2	10	Sct	30.05	76	72	5	2000	Cu			
08	—	—	10	Sct	3007	78	74	5	1600	Cu			
09	040	3	10	Sct	3008	80	74	5	1600	Cu			
10	040	3	10	Sct	3009	81	76	4	1600	Cu			
11	040	2	10	Sct	3012	80	76	4	1600	Cu			
12	040	3	10	Sct	3011	83	76	4	1600	Cu			
13	040	1	10	Sct	30 10	85	76	3	1600	Cu			
14	—	—	10	Sct	3009	87	71	2	1600	Cu			
15	—	—	10	Sct	30.07	85	72	2	1600	Cu			
16	—	—	10	Sct	30.06	85	72	2	1600	Cu			
17	—	—	10	Sct	3005	82	73	2	1600	Cu			
18	—	—	10	Sct	3003	81	74	2	1600	Cu			
19	—	-	10	CLR	3001	80	72	—	—	—			
20	—	—	10	CLR	3000	79	72	—	—	—			
21	—	—	10	CLR	2998	79	72	—	—	—			
22	—	-	10	CLR	2996	78	72	—	—	—			
23	—	—	10	CLR	2994	76	72	—	—	—			
24	—	—	10	CLR	2996	75	72	—	—	—			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
50

REMARKS

0000-0004 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN FORWARD, U.S. SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, ELECTRICIAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

J E Horton
LTJG USN

0004-0008 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS. ABSENTEES: NONE

J E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 11 (Date) JANUARY (Month), 19 64

08-12 moored as before. 0830 held Captain's ~~special~~ personnel inspection. 0845 secured from ~~special~~ personnel inspection. 0934 made daily inspection of Magazines, Conditions: Normal.

J. L. Hollis, CWO-2, USN

12-16 moored as before.

J. L. Hollis, CWO-2, USN

16-20 moored as before. 1800 set material Condition yoke (modified).

J. L. Hollis, CWO-2-USN

20-24 moored as before.

J. L. Hollis, CWO-2-USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Flyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SUNDAY (Day) 12 (Date) JANUARY (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	4	10	CLR	29.99	76	71	—	—	—			
02	060	4	10	CLR	3000	76	71	—	—	—			
03	060	4	10	CLR	3001	78	72	—	—	—			
04	060	4	10	CLR	3002	78	73	—	—	—			
05	070	6	10	CLR	3002	80	80	—	—	—			
06	070	6	10	CLR	3004	79	72	—	—	—			
07	070	6	10	CLR	3003	81	73	—	—	—			
08	070	6	10	CLR	3002	82	74	—	—	—			
09	050	6	10	CLR	3001	83	75	—	—	—			
10	040	6	10	CLR	3000	85	76	—	—	—			
11	040	6	10	CLR	2999	87	76	—	—	—			
12	060	6	10	CLR	2999	87	76	—	—	—			
13	060	6	10	CLR	2999	86	74	—	—	—			
14	060	6	10	CLR	2999	86	75	—	—	—			
15	060	6	10	CLR	2999	84	75	—	—	—			
16	060	6	10	CLR	2998	80	71	—	—	—			
17	060	6	10	CLR	2998	78	71	—	—	—			
18	060	6	10	CLR	2997	78	71	—	—	—			
19	060	6	10	CLR	2996	78	71	—	—	—			
20	060	6	10	CLR	2997	79	71	—	—	—			
21	060	6	10	CLR	2997	79	71	—	—	—			
22	060	6	10	CLR	2997	79	71	—	—	—			
23	060	6	10	CLR	2997	79	71	—	—	—			
24	060	6	10	CLR	2997	79	71	—	—	—			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
60

REMARKS

00-04 moored Starboard side to berth Sierra Eighteen (S-18) U.S. Naval submarine Base, Pearl Harbor, Hawaii. with standard lines doubled, Material Condition Yoke (modified) set. Receiving potable water, Electric power and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is CinC Pac Flt.

J.L. Hollis, CWO2 – USN

04-08 moored as before. 0745 mustered the crew on stations, absentees: none. 0746 made daily inspection of magazines, conditions normal.

J.L. Hollis, CWO2. USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Rosar, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 12 (Date) JANUARY (Month), 19 64

08-12 Moored as before. ~~Mode daily inspection of engineering conditions normal.~~ DSW DSW

LM Turner Ens USN

12-16 Moored as before.

LM Turner Ens USN

16-20 Moored as before. 1800 Set material condition modified Yoke.

LM Turner Ens USN

20-24 Moored as before

LM Turner Ens USN

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Moon, Stgj U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION HOW DATE Monday (Day) 13 (Date) January (Month), 1969

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	2	10	CLR	3000	72	70	—	—	—			
02	010	2	10	CLR	3001	72	70	—	—	—			
03	010	2	10	CLR	3002	75	70	—	—	—			
04	020	1	10	CLR	3001	75	70	—	—	—			
05	020	1	10	CLR	3003	77	72	—	—	—			
06	—	—	10	CLR	3005	77	72	—	—	—			
07	—	—	10	CLR	3007	78	74	—	—	—			
08	—	—	10	CLR	3005	79	76	—	—	—			
09	—	—	10	CLR	3003	80	76	—	—	—			
10	—	—	10	CLR	3002	81	79	—	—	—			
11	—	—	10	CLR	3001	83	78	—	—	—			
12	—	—	10	CLR	2999	87	78	—	—	—			
13	—	—	10	CLR	2999	88	79	—	—	—			
14	—	—	10	CLR	2999	86	78	—	—	—			
15	—	—	10	CLR	2999	86	77	—	—	—			
16	060	2	10	CLR	2999	82	77	—	—	—			
17	070	1	10	CLR	2998	80	77	—	—	—			
18	—	—	10	CLR	2999	76	72	—	—	—			
19	—	—	10	CLR	2999	80	72	—	—	—			
20	—	—	10	CLR	2998	78	72	—	—	—			
21	—	—	10	CLR	2998	78	72	—	—	—			
22	—	—	10	CLR	2999	77	72	—	—	—			
23	—	—	10	CLR	2999	77	72	—	—	—			
24	—	—	10	CLR	2999	77	72	—	—	—			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21°15'N		BY 3
λ 157°55.3W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET —

DRIFT —

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 36.0

FUEL CONSUMED 0000–2400: 428

REMARKS

00-04 Moored starboard side to, berth Sierra eighteen (S-18) US Naval Submarine base Pearl Harbor Hawaii using standard mooring lines doubled A receiving fresh water, electric power, and telephone service from the pier. Material condition Yoke modified is set. Ships present exclude various units of the US Pacific Fleet, yard and district small craft. SOPA is ComCPac Flt.

Lyn James Endsley

04-08 Moored as before 0730 Mustered crew at quarters absentees none.

Lyn James Endsley

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 13 (Date) January (Month), 19 64

~~0805~~ 08-12 Moored as before. 0805 Set special sea and anchor detail. Draft 14'2" fwd 15'6" aft. Captain and Navigator on the bridge. Captain has the comm. 0830 Underway in accordance with COMFLTRAGRU OP ORDER 1-64 Steering various courses at various speeds to maneuver the channel to sea. 0840 OOD has the Comm. 0938 passed sea buoy 1 abeam to starboard 100'. Secured the special sea and anchor detail.

Lt Jr Grade USN

08-12 (Con't) 0941 C/C 115°, 0950 C/C 110°, 0954 O/S 9.5 Kts. 0958 O/S stop - 0956 C/C 160°; 0957 intend International waters. 0958 set the towing detail. 0959 C/S B-40 RPM, Stop. 1000 Commenced exercise 2-6-S - With USS Safeguard (ARS-25) 1047 ARS-25 towing Hawser aboard and made fast. 1124 Hawser disconnected - 1127 all lines clear. 1128 Captain has the comm. Commenced maneuvering on various courses and speeds while taking USS Safeguard (ARS-25) in tow. 1150 towing Hawser fast on Safeguard - 1153 ~~comm~~ Commenced towing. Base Course 190°; various speeds. 1155 made daily inspection of Magazines. Conditions normal.

J. L. Hollis. CWO-2, USN

12-16 Underway as before. 1221 Completed exercise 2-6-S with USS Safeguard (ARS-25) 1224 C/S to 3.3 Kts C/C to 180°; 1228 C/C to 070°, Commenced steering various courses at various speeds while conducting ~~2-25-S~~, Highline transfers with USS Safeguard (ARS-25). Captain has the comm 1327 2+Cpl Mason has the Comm 1353 OOD has the Comm. 1406 Secured from Highline exercise. 1407 C/S to 9.5 Kts 1411 C/S to ~~444~~ 12.3 Kts 1416 C/S to 9.5 Kts C/C to 070° 1420 Set special sea and anchor detail. 1425 C/C to 335° 1426 Entered inland waters C/C to 345, C/C to 350° 1428 Passed sea buoy 2 abeam to starboard 100'. Commenced steering various courses and speeds to arrive at Alfa piers. Captain and Navigator on the bridge. OOD has the comm. 1444 Moored port side to berth Alfa 5. US Naval Base Pearl Harbor Hawaii

Lt Jr Grade USN

~~18-20 Underway as before.~~

~~Lt Jr Grade USN~~ 12

12-16 (CON'T) Moored as before

P S Mason, Sltj, USNR

16-20 Moored as before. 1800 Set Material condition Yoke (Modified); Received Series 40 target sled, No 590, alongside to starboard

P S Mason, Sltj, USNR

20-24 Moored as before.

P S Mason, Sltj, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P S Mason, Sltj U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Tuesday 14 January (Day) (Date) (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	3	10	Sct	3000	78	72	2	1000	Cu			
02	045	3	10	Sct	3001	79	72	2	1000	Cu			
03	045	3	10	Sct	3003	78	72	2	1000	Cu			
04	045	3	10	Sct	3004	79	72	2	1600	Cu			
05	060	3	10	Sct	3005	79	72	3	1600	Cu			
06	060	3	10	Sct	3006	80	72	2	1600	Cu			
07	070	3	10	Sct	3007	80	72	2	1600	Cu			
08	070	3	10	Sct	3009	80	72	2	1600	Cu			
09	080	3	10	Sct	3013	80	72	2	1600	Cu			
10	095	12	10	Sct	3015	81	72	2	1600	Cu	80	085	3
11	090	14	10	Sct	30.14	82	74	3	1600	Cu	80	085	2
12	090	16	10	Sct	3014	83	74	3	1000	Cu	80	085	2
13	090	12	10	Sct	3012	84	74	3	1600	Cu	80	085	4
14	090	12	10	BKN	3011	85	74	8	2000	Cu	80	085	4
15	090	10	10	BKN	3010	86	74	8	2000	Cu	80	080	4
16	090	11	10	BKN	3009	87	74	8	2000	Cu	80	085	4
17	085	10	10	Sct	3011	82	74	5	1600	Cu	80	085	4
18	085	10	10	Sct	3011	81	74	5	1600	Cu	80	080	2
19	080	11	10	Sct	3012	80	74	4	1600	Cu	80	080	3
20	060	11	10	Sct	3012	79	74	4	1600	Cu	80	080	3
21	060	18	10	Sct	3012	79	72	4	1000	Cu	80	080	3
22	060	18	10	Sct	130	79	72	4	1600	Cu	80	080	3
23	060	16	10	Sct	1311	79	72	4	1600	Cu	80	090	3
24	060	20	10	Sct	1312	79	72	4	1600	Cu	80	100	5

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 20°55.3'N		BY 3
λ 157°48.3W		BY 3
2000		
L 20°28.5N		BY 4
λ 157°47.7W		BY 4

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM 1200 14 JAN (ZT) (Date)

TO 2000 14 JAN (ZT) (Date)

SET 020

DRIFT .3 KTS

POSITION BETWEEN FIXES

MID. L 20°41'N

MID. λ 157°48.0W

MILES STEAMED 0000–2400: 91.7

FUEL CONSUMED 0000–2400: 1020

REMARKS

00-04 Moored portside to berth A-5, U.S. NAVAL Station Pearl Harbor Hawaii with standard mooring lines doubled. Series 40 target sled, No 590, alongside to starboard. Receiving fresh water and telephone services from the pier. Material readiness Yoke Modified is set. Ships present include various units of the U.S. Pacific Fleet Yard and district craft. SOPA is CINCPACFLT.

D D Mason, Stgg, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters absentees: none.

D D Mason Stgg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Stgg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY ~~MONDAY~~ (Day) 14 ~~13~~ (Date) JANUARY (Month) 19 64

0800-1200 MOORED AS BEFORE. 0800 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. DRAFT FWD. 14' AFT 16' 0839 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 0900 UNDERWAY FROM BERTH A-5, US NAVAL STATION, PEARL HARBOR HAWAII ENROUTE TO LOCAL OP-AREA G-I IN ACCORDANCE WITH COMFTRAGRU OP-ORD I-64. MANEUVERING VARIOUS COURSES AND SPEEDS TO CLEAR BERTH, WITH ~~SERTOS~~ S/HO SLED 590 ALONGSIDE TO STARBOARD, AND HEAD FAIR IN THE CHANNEL. 0909 HEADED FAIR IN CHANNEL, COURSE 180° SPEED 6.7KTS. COMMENCED STREAMING TARGET. 0910 STREAMED TARGET TO 100 FT. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0929 BUOY 1 ABEAM TO STARBOARD APPROX 50 YDS. SECURED SPECIAL SEA AND ANCHOR DETAIL, STREAMED TARGET TO 600 FT. 0933 C/C TO 159° C/S TO 8.9KTS. 0947 C/C TO 160° 1025 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. 1051 C/S TO 12KTS. 1152 C/S TO 9.5KTS.

LT/ Hanlon
LTJG USN.

1200-1600 Underway as before. 1205 C/C 090°, 1208 C/S 6.7KTS. 1212 C/S 3.3KTS. 1223 C/S 5.2KTS. 1235 C/C 180°. 1240 streamed target to 3600FT. 1241 C/S 6.7KTS. 1248 Commenced Exercise Z-27-G with USCG BASSWOOD (WAGL-388) Steering various courses & Speeds. 1256 Completed Z-27-G. 1317 Commenced Exercise Z-27-G with USS SAVAGE (DER-386) Steering various courses & Speeds. Base Course 090°, speed 5KTS. 1452 C/C 270°. 1517 Completed Z-27-G. with USS SAVAGE (DER-386). 1540 C/S 5.0 KTS.

JAH

John Hollis. CWO 2 - USN

1800-2000 Underway as before.

Lon Turner Ens USNR

1600-1800 UNDERWAY AS BEFORE. 1602 C/S 6.7KTS. C/S 12.3KTS. 1603 COMMENCED Z216 EXERCISE WITH USS TAWAKONI (ATF 114) 1611 C/S 6.7KTS. COMPLETED Z216 1616 C/S 12.3KTS. COMMENCED Z216 1623 C/S 6.7KTS. COMPLETED Z216 1633 C/S 9.5KTS C/S 12.3KTS COMMENCED Z 27 G 1635 COMPLETED GUNNERY EXERCISES WITH USS TAWAKONI (ATF 114) 1636 C/S 6.7KTS. 1637 C/S 12.3KTS. 1640 C/C 180° 1645 C/S RUDDER C/S 3.3KTS. 1645 STEADY ON COURSE 165°T 1708 C/S 6.7KTS

FA DeLorme BMCA USN

2000-2400 UNDERWAY AS BEFORE. 2000 C/C TO 090° 2300 C/C TO 330°

LT/ Hanlon
LTJG USN.

APPROVED: CC Reed H. U.S.N. COMMANDING

EXAMINED: DD Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE WEDNESDAY (Day) 15 (Date) JANUARY (Month) 19 64

AT/PASSAGE FROM IN LOCAL OPAREA, PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	6	10	Sct	2999	72	71	4	1600	Cu			
02	040	6	10	Sct	2999	72	71	4	1500	Cu			
03	040	4	10	Sct	3000	74	71	4	1000	Cu			
04	040	4	10	Sct	3001	74	74	4	1000	Cu			
05	040	10	10	Sct	3001	74	73	4	1000	Cu			
06	040	10	10	Sct	3002	76	75	4	1000	Cu			
07	040	12	10	Sct	3003	76	75	4	1000	Cu			
08	040	14	10	Sct	3004	78	76	4	1000	Cu			
09	040	16	10	Sct	3005	79	76	4	1000	Cu			
10	040	18	10	Sct	3006	80	76	4	1000	Cu			
11	040	20	10	Sct	3007	81	76	4	1000	Cu			
12	040	16	10	Sct	3008	82	76	4	1000	Cu			
13	040	16	10	Sct	3006	83	77	4	1000	Cu			
14	130	16	10	Sct	3004	84	77	4	1000	Cu			
15	130	10	10	Sct	3004	86	78	4	1000	Cu			
16	130	6	10	Sct	3002	88	79	4	1000	Cu			
17	130	4	10	Sct	3001	88	80	4	1000	Cu			
18	130	4	10	Sct	2999	86	81	4	1000	Cu			
19	130	2	10	Sct	2999	82	81	4	1000	Cu			
20	130	2	10	Sct	2999	80	81	4	1000	Cu			
21	130	2	10	Sct	2998	79	79	4	1000	Cu			
22	130	2	10	Sct	2998	78	78	4	1000	Cu			
23	130	2	10	Sct	2998	76	77	4	1000	Cu			
24	130	2	10	Sct	2998	74	76	4	1000	Cu			

POSITION	ZONE	TIME
0800 L	20°49.1N	BY 4
λ	157 49.5	BY 4
1200 L	20°52N	BY 4
λ	157°45.5W	BY 4
2000 L	20°56.2N	BY 2
λ	157°46.7W	BY 2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 2000 14JAN.
(ZT) (Date)
TO 0800 15JAN
(ZT) (Date)
SET 270
DRIFT .4KTS

POSITION BETWEEN FIXES

MID. L 20°38'N
MID. λ 157°48'W

MILES STEAMED 0000-2400: 105.1

FUEL CONSUMED 0000-2400: 1260

REMARKS

00-04 Steaming independantly in local operating Area G-1 and G2 - pearl Harbor, Hawaii in accordance with ComFltAir Hpac. pearl weekly op order 3-64. Material Condition yoke (modified) set. Readiness Condition IV and damage Control Condition III set. Base Course 330°, Base speed 6.7kts. with Series 40 sled. serial 590 in tow at 600 feet on the towing engine brake.

J.L. Hollis, CWO 2, USN

04-08 UNDER WAY AS BEFORE 0600 R/5° RUDDER 0625 STEADY ON COURSE 180°T. 0745 MUSTER ON STATIONS NO ABSENTEE'S TESTED SHIP'S WHISTLE SIREN GENERAL CHEMICAL AND STEERING ALARMS. TEST SATISFACTORY 0754 C/C 090°T 0757 C/S 9.5 KTS.

F.H. Delonne BMCA USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Jr. Lcdr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 15 (Date) JANUARY (Month) 19 64

08-12 Underway as before, 0844 C/S to 7.7Kts; 0849 C/S to 6.7Kts 0856 C/C to 341°; 0924 C/C to 119°, 0927 C/S to 12.3Kts, 0928 C/S to 9.5Kts 0933 Commenced Reverses Z-21/23/24-G with USS Sproston (DD) and USS John S McCain (DL 3). Commenced. 0935 C/S to 13.3Kts 0936 C/S to 12.3 Kts; 1035 C/C to 305°. ~~1046 C/S to~~ 1135 C/C to 125°, 1155 C/S to 6.7Kts

PS RJ DS

[illegible] James [illegible] USN

12-16 UNDERWAY AS BEFORE. 1200 C/C TO 145° C/S TO 12.3 KTS. 1202 C/C TO 125° C/S TO 6.7 KTS. 1207 C/S TO 9.5 KNTS. 1208 C/C TO 145° 1210 C/C TO 105° 1212 C/C TO 125° 1220 C/S TO 12.3 KTS. 1247 COMPLETED Z-21-G WITH USS MC CAIN AND USS SPROSTON. 1254 C/C TO 310° 1312 COMMENCED Z-30-G WITH USS SAFEGUARD 1317 C/S TO 6.7 KTS. 1335 C/C TO 135° C/S TO 12.3 KTS 1355 C/C TO 150° 1402 C/C TO 160° 1404 C/C TO 310 1417 C/S TO 9.5 KTS 1420 C/S TO 6.7 KTS COMMENCED Z-21-G WITH USS TAKELMA 1430 C/S TO 12.3 KTS 1437 C/S TO 6.7 KTS. 1440 C/S TO 9.5 KTS 1442 C/S TO 12.3 KTS 1445 C/S TO 9.5 KTS. COMPLETED Z-21G 1448 C/S TO 12.3 KTS. 1449 C/S TO 6.7 KTS 1503 COMPLETED Z-27-G WITH USS TAKELMA. 1507 COMMENCED HEADING IN TOW TO 600FT. 1529 TOW AT 6000 FT. 1530 C/C TO 090° 1538 C/S TO 9.5 KTS. 1542 C/S TO 6.7 KTS.

J E Horton
LTJG USN.

16-18 underway as before. 1651 C/S 3.3Kts. 1652 C/S 4.6Kts. 1654 C/S 5.2Kts. 1656 C/S 6.0Kts.

Jack Hollis. CWO2-USN

18-20 UNDERWAY AS BEFORE

[illegible] DeLorme BMC A USN

20-24 Underway as before.

[illegible] James [illegible] USN

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: [illegible] Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 16 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM LOCAL OP AREA, PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	18	10	Sct	30.13	75	72	3	1800	Cu	80	090	4
02	090	18	10	Sct	30.12	75	72	2	1600	Cu	80	090	4
03	090	18	10	Sct	30.10	75	72	3	1200	Cu	80	090	4
04	090	20	10	Sct	30.10	75	72	3	1200	Cu	80	090	4
05	090	21	10	Sct	3009	75	72	3	1200	Cu	80	090	4
06	095	21	10	Sct	3009	75	71	3	1200	Cu	80	090	4
07	095	21	10	Sct	3010	76	71	3	1200	Cu	80	090	4
08	080	16	10	BKN	3011	76	72	6	1200	Cu	80	080	3
09	080	16	10	BKN	3013	76	72	7	1200	Cu	80	080	3
10	080	16	10	BKN	3013	76	72	7	1200	Cu	80	080	3
11	080	16	10	BKN	3013	77	72	7	2000	Cu	80	080	3
12	080	18	10	BKN	3013	78	73	7	2000	Cu	80	080	3
13	090	19	10	BKN	3011	78	72	7	2000	Cu	80	080	3
14	090	20	10	BKN	3009	78	72	8	2000	Cu	80	080	5
15	090	23	10	BKN	3007	78	73	8	2000	Cu	80	090	4
16	090	21	10	BKN	3007	78	73	7	2000	Cu	80	080	4
17	090	22	10	Sct	3008	79	73	5	2000	Cu	80	080	4
18	090	22	10	Sct	3011	78	72	5	2000	Cu	80	080	4
19	090	15	10	Sct	3011	78	72	4	2000	Cu	80	080	4
20	090	15	10	Sct	3009	78	72	4	2000	Cu	80	080	4
21	090	15	10	Sct	3009	78	72	4	2000	Cu	80	080	4
22	100	18	10	Sct	3009	78	72	4	2000	Cu	80	080	4
23	100	20	10	Sct	3009	78	72	4	2000	Cu	80	080	4
24	100	15	10	Sct	3009	78	72	3	2000	Cu	80	080	4

POSITION	ZONE	TIME
0800 L	20°54.7N	BY 2
λ	157°47.2W	BY 2
1200 L	21°01N	BY 2
λ	157°52.4W	BY 2
2000 L	21°15.4N	BY 3
λ	158°03.5W	BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	0800 (ZT) 16JAN (Date)
TO	2000 (ZT) 16JAN (Date)
SET	249
DRIFT	1.5KTS
POSITION BETWEEN FIXES	
MID. L	21°03'N
MID. λ	157°53W

MILES STEAMED 0000-2400
108.5

FUEL CONSUMED 0000-2400
914

REMARKS

00-04 STEAMING INDEPENDANTLY IN LOCAL OP AREA G-1 PEARL HARBOR HAWAII. IN ACCORDANCE WITH COMTASKGRU OP ORD 3-64 WITH 5/40 No 590 SLED IN TOW AT 600 FT. BASE COURSE 090° BASE SPEED 6 KTS. MODIFIED MATERIAL CONDITION YOKE, READINESS CONDITION II, ~~ENGR~~ ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET. 0000 C/C TO 180° 0200 C/C TO 340° SEN

LE Hooton
LTJG USN.

04-08 underway as before: 0555 Veered towing Cable approximately Ten (10) Feet. 0636 Rudder Right standard - 0650 Steady on course 090°. 0745 Mustered the Crew on Stations, absentees: none. Tested the Ships Whistle, Siren, general, Chemical and Steering emergency Alarms. Test Satisfactory.

Jd. Hollis CWO2, USN

APPROVED:

CC Reed Lt. U.S.N. COMMANDING

EXAMINED:

RD Mason, Stgg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 Thursday (Day) 16 (Date) January (Month) 1964

08-12 UNDER WAY AS BEFORE ~~0807~~ C/C 160° C/S 9.5 KTS. C/C 151° C/S 6 KTS. 0830 C/S 9.5 KTS. C/C 090° 0831 C/C 135° 0833 VEERED TARGET TO 1000 FEET 0836 C/S 12.3 KTS. 0855 MADE DAILY INSPECTION OF MAGAZINE ~~AND SMOKELESS POWDER SAMPLES~~ CONDITION NORMAL 0912 C/S 6 KTS. 0918 C/C 270° C/S 9.5 KTS. 0942 C/C 250° 0943 C/C 270° 0945 C/S 9.5 KTS. 0945 C/S 6.7 KTS. 0950 COMMENCED Z21-27G WITH USCGS BLACKHAW AND USCGS PLANETREE 1003 C/S 8 KTS. 1030 C/S 5 KTS. 1037 C/S 8 KTS. 1040 C/S 6.7 KTS. 1055 COMPLETED Z21-27G WITH USCGS BLACKHAW AND USCGS PLANETREE C/C 000° C/S 12.3 KTS.

F.A. Delorme BMCA USN

12-16 Underway as before; 1239 C/C to 335; 1253 C/C to 340 1317 C/C to 333°; 1318 C/C to 335; 1331 C/C to 339, 1333 Entered Inland water, Made preparations to enter port 1335 Set special sea and anchor detail. Captain and Navigator on the bridge OOD has the Conn. 1346 Tested sea buoys 1 and 2 abeam port and starboard. Commenced steering various courses at various speeds to moor berth Alfa 5. 1340 Heaved target in to 300 ft, 1355 Heaved target in to 150 feet. 1359 Captain has the conn 1410 Moored port side to berth Alfa 5 Pearl Harbor Naval Base Hawaii. ~~1544 Set special sea and anchor detail~~ 1415 Secured Special Sea and Anchor detail.

Wm Turner Ens USN

16-20 Moored as before. 1644 Set special Sea and anchor detail. Captain and Navigator on the bridge OOD has the Conn. Draft 16' for 135' off. Series YO Sled #590 in Tow. 1755 Underway in accordance with Lt Ja Gun Op order 3-63. Steering various courses at various speeds while standing out channel from berth Alfa 5, 1826 Passed sea buoy 1 and 2 Out bound secured Special sea and anchor detail. 1831 C/S to 9.5, entered ~~International waters~~.

~~Wm Turner Ens USN~~ RD

~~16-20 (cont'd) Underway as before~~ 1832 C/C to 1500, 1848 C/C to 265, C/S to 6.7 Kts, 1856 secured degaussing.

Wm Turner Ens USN

20-24 UNDERWAY AS BEFORE 2100 C/S 15° RUDDER 2116 STEADY ON COURSE 095°

F.A. Delorme BMCA USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-9 ZONE DESCRIPTION +10W DATE Friday 17 January, 1964
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	124	18	8	BKN	3013	75	70	7	1000	Cu	80	090	3
02	110	25	7	BKN	3012	75	70	8	1000	Cu	80	090	4
03	110	20	7	BKN	3011	75	70	8	1000	Cu	80	090	3
04	085	21	7	SCT	3009	75	70	2	1000	Cu	80	090	3
05	085	21	7	SCT	3009	75	70	3	1000	Cu	80	090	6
06	055	22	7	SCT	3010	75	70	4	1000	Cu	80	090	6
07	055	27	7	SCT	3011	75	70	4	1000	Cu	80	070	6
08	060	22	7	SCT	3011	75	70	4	1000	Cu	80	070	5
09	090	20	8	SCT	3011	75	70	3	1000	Cu	80	070	6
10	090	20	7	SCT	3011	75	70	2	1000	Sc	80	070	8
11	090	20	10	SCT	3012	75	71	2	1000	Sc	80	070	8
12	090	20	10	SCT	3012	75	71	2	1000	Sc	80	070	8
13	090	18	10	SCT	3013	75	71	2	1000	Sc	80	070	5
14	090	18	10	SCT	3013	75	71	2	1000	Cu	80	070	5
15	090	20	10	SCT	3013	75	70	3	1000	Cu	80	070	5
16	085	20	10	SCT	3012	75	70	3	1000	Cu	80	070	5
17	085	20	10	SCT	3013	75	70	4	1000	Cu	80	070	5
18	085	18	10	SCT	3014	75	70	4	1000	Cu	80	070	5
19	085	19	10	SCT	304	75	70	4	1000	Cu	80	070	5
20	085	19	10	SCT	3014	75	70	4	1000	Cu	80	070	5
21	085	19	10	SCT	3015	75	70	4	1000	Cu	80	070	5
22	085	18	10	SCT	3015	75	70	4	1000	Cu	80	070	5
23	085	18	10	SCT	3015	75	70	4	1000	Cu	80	070	5
24	085	18	10	SCT	3015	75	70	4	1000	Cu	80	070	5

POSITION	ZONE	TIME
0800 L	20°52.2N	BY 3
λ	157°47.3	BY 3
1200 L	21°00N	BY 3
λ	157°48.2W	BY 3
2000 L	IN PORT	BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 17JAN (Date)

TO 1200 (ZT) 17JAN (Date)

SET 220

DRIFT 1.2KTS

POSITION BETWEEN FIXES

MID. L 20°56'N

MID. λ 157°47.8W

MILES STEAMED 0000-2400: 45.5

FUEL CONSUMED 0000-2400: 1506

REMARKS

00-04, Steaming independently in local op areas South Honolulu and Diamond Head eyeball to Gunnery areas 6 and 3. In accordance with Com 7th Fla Gru op order 3-64. Series 40 sleeve #590 in tow and 600 Ft. Base Course 095, Base speed 6.7Kts Modified material Condition Yoke, Readiness Condition V, Engineering condition III and Damage control Condition III set.

Lee Turner Engnr

04-08 Underway Co Before 0402 C/C TO 180° ~~0504 C/C TO 161°~~ 0504 C/C TO 161° 0515 LOST EXITATION TO MAIN MOTOR 0519 REGAINED EXITATION TO MAIN MOTOR 0551 C/C TO 140° 0758 C/C TO 120° MUSTERED CREW ON STATIONS ABSENTEES NONE.

L C Horton
ETJ 3 USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R R Mason, Stfg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 48th (Date) January (Month), 1964

~~08-12~~ Rsm

08-12 Steaming as before. 0945 made daily inspection of magazines. Conditions normal., tested the magazine sprinkler system, test satisfactory. 1005 C/C 305°, C/S 9.5 Kts. 1015 C/C 310°, target sled streamed to 3600 feet. 1017 C/S 6.7 Kts, Stationed the Rabe detail. 1020 Commenced exercises Z-27/21 G with USCGC Basswood (WAGL-388) Maneuvering at various speeds. 1108 Completed Exercises Z-21/27-G with Basswood. C/S 350°, 1111 C/S 6.7 Kts, Commenced heaving in on target wire. 1113 C/S 9.5 Kts. 1128 target at 600 feet. 1129 C/S 12.3 Kts.

J.L. Hollis, CWO2, USN

12-16 UNDER WAY AS BEFORE 1214 C/C 340° 1310 C/C 310° 1317 C/C 320° 1321 C/C 333° 1322 C/C 334° C/C 335° 1323 C/C 336° 1336 SET SPECIAL SEA AND ANCHOR DETAIL THE CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE 1341 SAIFTED MOTOR CONTROL TO BRIDGE C/S 9.5 KTS. TARGET HEAVED IN TO 150 FEET 1343 ENTERED INLAND WATERS. MANUVERING ON VARIOUS COURSES AND VARIOUS SPEEDS TO ENTER PEARL HARBOR CHANNEL 1400 YTL ALONG SIDE TARGET TOW IS BROKEN MANUVERING ON VARIOUS COURSES AND VARIOUS SPEED TO APPROACH AND MOORE TO PIER ALPHA 5 1413 MOORED TO PIER ALPHA 5 US NAVAL STATION PEARL, HARBOR HAWAII 1419 SECURED SPECIAL SEA AND ANCHOR DETAIL.

F.H. DeJonne BMCA USN

12-16 (cont) Moored as before. R.S. Mason, Ltjg, USNR

16-20 Moored as before. 1800 Set Material condition Yoke (modified). R.S. Mason, Ltjg, USNR

20-24 Moored as before. R.S. Mason, Ltjg, USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY 18 January, 1964
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	085	18	6	Sct	30.13	75	70	3	1500	Cu	80	070	4
02	075	19	6	Sct	30.13	75	70	3	1500	Cu	80	070	4
03	075	21	4	Sct	3011	74	70	3	1500	Cu	80	070	5
04	075	27	6	Sct	3009	74	70	3	1500	Cu	80	070	5
05	090	27	6	Sct	3009	75	70	3	1500	Cu	80	070	6
06	110	28	8	Sct	3009	75	70	4	1500	Cu	80	100	6
07	110	25	8	Sct	3012	76	71	4	1500	Cu	80	100	6
08	110	25	8	Sct	3014	76	71	4	1500	Cu	80	100	6
09	100	21	8	Sct	3016	77	72	4	1500	Cu	80	100	6
10	100	21	10	Sct	3017	78	72	4	1500	Cu	80	100	4
11	100	20	10	Sct	3014	78	72	4	1500	Cu	80	110	6
12	090	20	10	Sct	3015	78	72	4	1500	Cu	80	110	6
13	090	20	10	Sct	30.13	78	72	4	1500	Cu	79	100	5
14	090	20	10	Sct	3013	78	72	4	1500	Cu	79	100	5
15	090	20	10	Sct	3010	78	72	4	1500	Cu	79	100	5
16	090	20	10	Sct	3008	78	72	4	1500	Cu	79	100	4
17	090	20	10	Sct	3006	78	72	4	1500	Cu	79	100	4
18	090	20	10	Sct	3000	78	72	4	1500	Cu			
19	090	20	10	Sct	2999	78	72	4	1500	Cu			
20	090	20	10	Sct	2999	78	72	4	1500	Cu			
21	090	20	10	Sct	2999	78	72	4	1500	Cu			
22	090	20	10	Sct	2999	78	72	4	1500	Cu			
23	090	20	10	Sct	2999	78	72	4	1500	Cu			
24	090	20	10	Sct	3000	78	72	5	1500	Cu			

POSITION	ZONE	TIME
0800		
L In port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 273

REMARKS

00-04 Moored starboard side to berth A-6, U.S. Naval Station, Pearl Harbor Hawaii with Standard mooring lines doubled. Material condition Yoke (Modified) is set. Receiving fresh water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is CINCPACFLT

R S Mason, Stjg, USN

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: none.

RS Mason, Stjg

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ADDARI ATF 96 SATURDAY (Day) 18 (Date) JANUARY (Month), 19 56

0800-1200 MOORED AS BEFORE 0901 MADE DAILY INSPECTION OF MAGAZINES CONDITIONS NORMAL.

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET MATERIAL CONDITION YOKE MODIFIED

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

J E Horton

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 19 (Date) JANUARY (Month), 1964

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	020	4	10	CLR	2999	77	76	—	—	—			
02	020	4	10	CLR	3000	77	76	—	—	—			
03	020	4	10	SCT	3000	77	76	1	1500	Cu			
04	020	4	10	SCT	3000	79	77	2	1200	Cu			
05	020	4	10	S-T	3000	79	77	1	1200	Cu			
06	020	4	10	SCT	3000	79	77	1	1200	Cu			
07	040	4	10	SCT	3000	80	77	2	1200	Cu			
08	040	4	10	CLR	3000	81	77	—	—	—			
09	040	4	10	CLR	3000	81	78	—	—	—			
10	040	4	10	CLR	3000	81	78	—	—	—			
11	040	7	10	CLR	3000	84	78	—	—	—			
12	040	7	10	CLR	2998	83	79	—	—	—			
13	040	7	10	SCT	2999	83	79	1	1500	Cu			
14	040	7	10	SCT	2999	84	79	1	2000	Cu			
15	060	7	10	SCT	2999	82	79	2	2000	Cu			
16	060	7	10	SCT	2999	82	80	2	2000	Cu			
17	060	7	10	SCT	2999	81	79	2	2000	Cu			
18	060	7	10	SCT	2999	81	79	1	2000	Cu			
19	040	7	10	SCT	2999	80	79	3	2000	Cu			
20	040	7	10	SCT	2999	80	77	3	2000	Cu			
21	040	7	10	SCT	2999	79	77	3	2000	Cu			
22	040	7	10	SCT	2999	79	76	1	2000	Cu			
23	040	7	10	SCT	3000	79	76	1	2000	Cu			
24	040	7	10	SCT	3000	77	77	1	2000	Cu			

POSITION	ZONE	TIME
0800		
L 10 Port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 160

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALPHA-SIX WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE ~~YOKE~~ SET RECEIVING FRESH WATER + TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT. JEH

J E Hunter
LTJG USN

04-08 Moored as before. 0745 Mustered Crew on stations: Absentees: None

J E Hunter
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R R Mason, Lyn U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 19 (Date) January (Month) 19 64

08-12 moored as before: 1005 made daily inspection of magazines, conditions: normal.

J.L. Hollis, CWO2-USN

12-16 moored as before:

J.L. Hollis, CWO-2, USN

16-20 moored as before. 1800 set material condition yoke (modified).

J.L. Hollis, CWO2-USN

20-24 moored as before.

J.L. Hollis, CWO-2, USN

APPROVED: EXAMINED:

C.C. Read Lt. U.S.N. COMMANDING R.J. Rosen, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

...ONLY
(Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE MONDAY (Day) 20 (Date) January (Month), 1964

AT/PASSAGE FROM PEARL Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	–	–	10	CLR	2999	75	70	–	–	–			
02	–	–	10	CLR	2999	75	70	–	–	–			
03	–	–	10	CLR	2999	75	70	–	–	–			
04	–	–	10	CLR	3000	75	70	–	–	–			
05	–	–	10	CLR	3000	74	71	–	–	–			
06	–	–	10	CLR	3000	77	72	–	–	–			
07	–	–	10	CLR	3000	77	73	–	–	–			
08	–	–	10	Sct	3000	78	74	1	1600	Cu			
09	–	–	10	Sct	3000	79	73	1	1600	Cu			
10	050	2	10	CLR	3000	80	73	–	–	–			
11	050	2	10	CLR	3000	82	75	–	–	–			
12	–	–	10	Sct	3000	83	75	1	1600	Cu			
13	–	–	10	Sct	3000	84	76	1	1600	Cu			
14	045	3	10	Sct	3000	85	76	1	1600	Cu			
15	045	2	10	Sct	3000	86	75	1	1600	Cu			
16	040	2	10	CLR	3000	87	75	–	–	–			
17	040	2	10	CLR	3000	84	75	–	–	–			
18	045	2	10	CLR	3000	82	75	–	–	–			
19	045	1	10	CLR	3000	80	74	–	–	–			
20	–	–	10	CLR	3000	79	73	–	–	–			
21	–	–	10	CLR	3000	79	72	–	–	–			
22	–	–	10	CLR	3000	78	71	–	–	–			
23	–	–	10	CLR	3000	77	70	–	–	–			
24	–	–	10	CLR	3000	76	70	–	–	–			

POSITION	ZONE	TIME
0800 L IN PORT	BY	
λ	BY	
1200 L 21°18N	BY 3	
λ 157-58.5W	BY 3	
2000 L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 155

REMARKS

00-04 moored starboard side to berth alfa six (A-6) with standard mooring lines doubled. Material condition yoke (modified) set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is ~~COMHAWSEAFRON~~ CinCPac JLH pac.

J.L. Hollis CWO2, USN

04-08 moored as before. 0745 mustered the crew at quarters. absentees: none. 0750 Commenced making preparations for getting under way. 0755 Set the Special sea and anchor detail. morning draft Fwd. 14'-0" aft 16'-0".

J.L. Hollis, CWO-2, USN

APPROVED:
C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED:
D.D. Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) ~~TUESDAY 21~~ MONDAY 20 (Day) (Date) JANUARY (Month), 1964 CP-2

08-12 moored as before; 0814 underway to Local op area in accordance with ComAirPac Opn. Ord 3-64, Captain and navigator on the Bridge. Maneuvering on various courses & speeds while clearing the pier and navigating the Channel. 0820 passed buoys 8 and 9 abeam approx. 100 yds. Base course 153°, Spd 9.5 Kts. 0831 secured the Special sea and anchor detail. 0832 passed Buoy # 8 abeam to stbd. 100 yds. 0842 held steering casualty drill. 0852 secured from drills. ~~0924~~ 0904 C/C 3.3 Kts. 0852 C/C 107°, 0924 C/S 3.3 Kts. 0930 C/S 8. Kts. Commenced Exercise Z 10 CC with USS Takelma (ATF-113) 0932 C/C 180°, 0939 C/C 210°, 0949 C/C 248°, C/S 11. Kts. 0957 C/C 220°, C/S 7. Kts. 1010 C/S 9.5 Kts. 1012 C/S 3.3 Kts. C/C 343°, 1023 C/C 337°, C/S 6.7 Kts. 1025 C/C 335°, C/S 3.0 Kts. 1026 made daily inspection of magazines, Conditions, normal. 1032 C/S 12.0 Kts. 1034 Completed Exercise Z-10-CC. C/S Stop - C/S 6.7 Kts. 1035 C/C 290°, C/C 330°, C/S 12.3 Kts. 1042 C/C 298°, 1046 C/C 297°, Commenced Exercise Z-4-0 with USS Takelma (ATF-113) steering various courses & speeds, while performing tactical exercises. Takelma OCE. 1122 Captain has the Conn. 1123 OOD has the Conn.

Jal Hollis. CWO-2, USN

12-16 UNDERWAY AS BEFORE. 1200 C/C TO 095° 1215 C/C TO 330° 1218 COMMENCED MANEOUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING IN PEARL HARBOR. 1235 SET THE SPECIAL SEA AND ANCHOR DETAIL. OOD HAS THE CONN CAPTAIN AND NAVIGATOR ON THE BRIDGE. ENTERED INLAND WATERS. DRAFT: FORWARD 14' AFT 15' 1244 PASSED BOUY #2 ABEAM TO STARBOARD 1249 PASSED BOUY #4 ABEAM TO STARBOARD 1252 PASSED BOUY #6 ABEAM TO STARBOARD 1256 PASSED BOUY #8 ABEAM TO STARBOARD 1257 PASSED BOUY #10 ABEAM TO STARBOARD 1302 MOORED STARBOARD SIDE TO IN BERTH ALFA S/X (A-6) QS NAVAL BASE. PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PEA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE QS PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS C/INCPAC FLT. 1310 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

C. P. McKeon, Ens, USN

16-20 Moored as before; 1800 set Material condition modified Yoke ~~18-25~~ 1825 Received Series 40 sled No ~~570~~.574. Lon James Enl USN

20-24 Moored as before

Lon James Enl USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Moon, Lt/jg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE TUESDAY ~~22~~ 21 JANUARY (Day) (Date) (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	BKN	29.99	72	71	8	1600	Cu			
02	040	2	10	BKN	3000	72	71	8	1000	St			
03	040	2	10	BKN	3002	73	71	8	1000	St			
04	040	2	10	BKN	3004	74	71	8	1000	St			
05	040	2	10	R	3006	74	71	10	1000	St			
06	040	5	10	L	3008	75	71	10	1000	St			
07	040	5	10	L	3008	74	71	10	1000	St			
08	060	5	10	L	3010	76	71	10	1000	St			
09	060	5	10	BKN	3011	76	71	8	1000	St			
10	060	5	10	BKN	3011	76	71	8	1000	St			
11	060	5	10	BKN	3011	76	71	8	1000	Cu			
12	060	5	10	Sct	3012	76	71	5	1000	Cu			
13	070	3	10	Sct	3014	78	71	5	1000	Cu			
14	090	3	10	Sct	3013	78	71	5	1000	Cu			
15	070	5	10	Sct	3013	78	71	5	1000	Cu			
16	070	5	10	Sct	3013	76	71	4	1000	Cu			
17	070	5	10	Sct	3013	75	71	4	1000	Cu			
18	070	5	10	Sct	3013	75	71	4	1000	Cu			
19	070	5	10	Sct	3013	75	71	4	1000	Cu			
20	070	5	10	Sct	3012	75	71	4	1000	Cu			
21	070	5	10	Sct	3011	75	71	4	1000	Cu			
22	060	5	10	Sct	3008	75	71	4	1000	Cu			
23	050	5	10	Sct	3006	75	71	4	1000	Cu			
24	040	5	10	Sct	3004	75	71	4	1000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21° 48.8N		BY 3
λ 157° 58.5W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET NONE

DRIFT NONE

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 28

FUEL CONSUMED 0000–2400: 490

REMARKS

00-04 Moored Starboard side to berth Alfa six Pearl Harbor Hawaii US Naval base using standard mooring lines receiving fresh water, telephone service from the pier. Ships present include various units of the US Pacific Fleet and various yard and district craft. Material condition Yoke modified is set. SOPA is is CINCPACFLT. Sener 40 sled #574 tied astern.

Wm Turner Ens USN

04-08 Moored as before 0745 Mustered crew at Quarters. absentees, none.

Wm Turner Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stgj U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI (CATF 96) TUESDAY (Day) 21 (Date) JANUARY (Month), 19 63

08-12 Moored as before. 0810 Make preparations for getting underway. Set the special sea and anchor detail. Captain and navigator on the bridge. 000 has the comm. Draft 14' fwd 16' 2" aft. Covered daily inspection of magazines, conditions normal. 0829 Underway from Alfa six US naval Base Pearl Harbor Hawaii. Serie 40 sled ~~1540~~ 574 In accordance with COMFLEACT Ltr Gen Op order 3-64, steering various courses at various speeds to clear channel to sea. 0852 Passed buoy #2 abeam 100 yds. 0853 C/C to 157, S/S to 12.3 Kts.

Jno Turner Ens USNR

08-12 (CONTINUED) UNDERWAY AS BEFORE. 0907 C/C TO 102 0911 C/C TO 160° 0950 S/S TO ~~105~~ 12.8 KTS 0957 S/S TO 11.8 KTS 1016 S/S TO 9.5 KTS. 1020 S/S TO 6.7 KTS 1032 S/S TO 9.5 KTS 1044 S/S TO 12.8 KTS. 1116 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CLOSING USS SAFE-GUARD (ARS 25)

C.P. McKenzie, Ens, USNR

12-16 Underway as before; 1202 C/S 12.3 Kts. 1203 C/S 9.5 Kts. 1206 C/S 11.0 Kts. Commenced Exercise Z-30-G with USS Safeguard (ARS-25) Base Course 330° at various speeds to conform to exercise requirements & OCE Orders. 1337 Completed Exercise Z-30-G Released by OCE. 1338 C/S 12.8 Kts, 1340 C/C 330°; 1407 C/C 335°; 1456 C/C 341°; 1502 C/C 343°; 1521 Commenced preparations for entering port. 1533 C/S 9.5 Kts. 1535 C/S 6.7 Kts. 1560 C/S 9.5 Kts. Set the Special Sea and Anchor detail. Captain and Navigator on the Bridge. 1541 C/C 335°, entered inland waters, 1544 C/S 6.7 Kts. C/C 338°, C/S 9.5 Kts. 1545 C/S 6.7 Kts. 1548 C/C 340° Commenced Steering Base Course 334° at various speeds while entering the Pearl Harbor Channel. 1551 Ens. Turner has the comm. 1559 passed Buoy #3 abeam approx 100 yds.

Jno O Hollis, CWO-2, USN

16-20 (CONTINUED) MOORED AS BEFORE. 1715 YTL 519 ~~1007~~ COM RECEIVED S/40 SLED. 1800 SET MATERIAL CONDITION YOKE. 1815 MUSTERED THE DUTY FIRE PARTY. ABSENTEES: NONE. 1934 USS TAKELMA (CATF 113) MOORED ALONG SIDE TO STARBOARD.

C.P. McKenzie, Ens, USNR

20-24 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10W DATE WEDNESDAY 22 JANUARY (Day) (Date) (Month), 19 67

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	4	6	Sct	30.07	76	71	2	2000	Cu			
02	010	4	6	Sct	3007	76	71	2	2000	Cu			
03	010	4	6	sct	3009	77	71	2	2000	Cu			
04	020	4	6	Sct	3011	77	72	2	2000	Cu			
05	050	5	10	Sct	3012	78	72	2	2000	Cu			
06	040	5	10	Sct	3012	78	73	2	2000	Cu			
07	060	5	10	Sct	3011	79	74	2	2000	Cu			
08	080	6	10	Sct	3011	80	74	2	2000	Cu			
09	080	4	10	Sct	3010	80	75	2	2000	Cu			
10	090	7	10	Sct	3010	81	76	4	2000	Cu			
11	090	8	10	Sct	3011	82	76	4	2000	Cu			
12	090	8	10	Sct	3013	83	77	4	2000	Cu			
13	090	8	10	Sct	3012	84	77	4	2000	Cu			
14	090	8	10	Sct	3011	82	78	2	2000	Cu			
15	090	8	10	Sct	3010	81	79	2	2000	Cu			
16	090	8	10	Sct	3009	80	78	2	2000	Cu			
17	090	8	10	Sct	3008	80	74	2	2000	Cu			
18	090	10	10	Sct	3007	79	74	2	2000	Cu			
19	070	9	10	Sct	3007	79	72	2	2000	Cu			
20	060	8	10	Sct	3006	78	72	2	2000	Cu			
21	045	7	10	Sct	3005	78	72	2	2000	Cu			
22	045	6	10	Sct	3004	76	71	2	2000	Cu			
23	045	5	10	Sct	3004	75	71	2	2000	Cu			
24	045	4	10	Sct	3004	71	71	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 20 53.3N		BY 3
λ 157 45.4W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM 0800 (ZT) 20 JAN (Date)

TO 1200 (ZT) 21 JAN (Date)

SET 270

DRIFT .2 KTS

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 62.5

FUEL CONSUMED 0000–2400: 477

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH ALFA ~~5~~ FIVE (A-5) US NAVAL BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. OSS TAKECMA (ATF 113) MOORED ALONGSIDE TO STARBOARD. RECEIVING MISCELANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE ~~IS~~ MODIFIED IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINC PACFLT.

C. P. McKenzie, Ens, USNR

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS: ABSENTEES: NONE. COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0740 SET THE SECTIONAL SEA & ANCHOR DETAIL. 0750 COMPLETED MAKING PREPARATIONS

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) WEDNESDAY (Day) 22 (Date) JANUARY (Month), 19 64

Ø4-Ø8 (CONTINUED) FOR GETTING UNDERWAY DRAFT: FORWARD 13' 9", AFT 16' 4" Ø7Ø6 USS TARELMA (ATF 113) UNDERWAY FROM ALONG SIDE TO STARBOARD Ø758 UNDERWAY FOR LOCAL OP-AREAS IN COMPLIANCE WITH COMFLT-TRAGRU OP-ORDER 3-64. MANEUVERING TO CLEAR THE PIER. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF PEARL HARBOR.

C. P. McKenzie, Ens, USNR

Ø8-12 UNDERWAY AS BEFORE. Ø8ØØ CAPTAIN HAS THE CONN Ø8Ø8 PASSED BOUY #5 ABEAM TO STARBOARD. Ø81Ø OOD HAS THE CONN Ø811 PASSED BOUY #3 ABEAM TO STARBOARD. Ø815 PASSED BOUY #1 ABEAM TO STARBOARD. Ø816 EXERCISED THE CREW AT GENERAS QUARTERS.

C. P. McKenzie, Ens, USNR

Ø812 (CONT) Underway As before. Ø823 C/C To 170° ENTERED INTERNATIONAL WATERS Ø826 C/C TO 125° Ø833 C/C TO 105° Ø855 EXERCISED CREW AT ABANDON SHIP STATIONS. Ø91Ø C/C TO Ø97° SECURED FROM GENERAL QUARTERS. Ø925 C/S TO 3.3 KTS. C/C TO 270° Ø928 C/S TO 8.8 KTS. C/C TO 340° COMMENCED MANEUVERING VARIOUS COURSES AND SPEED WHILE CONDUCTING ZIOCC EXERCISE WITH USS SAFE GUARD (ARS-25) 1000 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS: NORMAL 1021 COMPLETE Z-10-CC WITH SAFEGUARD (ARS-25) COMMENCED MANEUVERING VARIOUS COURSES AND SPEED WHILE CONDUCTING Z-4-O WITH USS SAFEGUARD (ARS-25) 1113 COMPLETED Z-4-O BASE COURSE 180° BASE SPEED. 12.3 KTS. 1116 C/C TO 210° 1117 C/C TO 240° 1119 EXERCISED CREW AT MAN OVER BOARD DRILL. 1125 SECURED FROM MAN OVERBOARD DRILL. 1127 C/C TO 285° C/S TO 6.7 KTS.

J. E. Hanks
LTJG USN

12-16 UNDERWAY AS BEFORE. 1215 C/S TO 12.3 KTS, C/C TO 333° 1217 ENTERED INLAND WATERS. SET THE SPECIAL SEA AND ANCHOR DETAIL 1218 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING INTO PEARL HARBOR 1225 PASSED BOUY #2 ABEAM TO STARBOARD 100 YDS. 1230 PASSED BOUY #4 ABEAM TO STARBOARD, 100 YDS. 1234 PASSED BOUY #6 ABEAM TO STARBOARD 75 YDS. 1245 ALL ENGINES STOPPED. MOORED PORT SIDE TO IN BERTH ALFA FIVE (A-5) US NAVAL BASE PEARL HARBOR, HAWAII. USING STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINCPACFLT. 1252 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. SOPA IS CINCPACFLT.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE _____ (Day) _____ (Date) _____ (Month), 19__

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	10	Sct	3004	77	71	5	7000	Cu			
02	040	4	10	Sct	3004	77	71	5	7000	Cu			
03	040	4	10	Sct	3005	78	71	5	7000	Cu			
04	040	4	10	Sct	3005	78	71	4	7000	Cu			
05	040	4	10	Sct	3005	79	72	4	7000	Cu			
06	040	4	10	Sct	3005	79	72	5	7000	Cu			
07	040	4	10	Sct	3006	79	73	5	7000	Cu			
08	035	3	10	Sct	3006	80	73	5	7000	Cu			
09	035	3	10	Sct	3005	80	74	5	7000	Cu			
10	035	4	10	Sct	3004	81	74	5	7000	Cu			
11	035	3	10	Sct	3003	82	75	5	7000	Cu			
12	035	4	10	BKN	3002	83	75	7	7000	Cu			
13	035	3	10	BKN	3001	84	75	7	7000	Cu			
14	035	3	10	BKN	3000	87	55	7	7000	Cu			
15	035	3	10	BKN	2999	86	75	7	7000	Cu			
16	035	3	10	Sct	2999	84	74	6	7000	Cu			
17	035	3	10	BKN	2999	83	74	7	7000	Cu			
18	035	3	10	Sct	2998	81	73	5	7000	Cu			
19	035	3	10	Sct	2998	80	72	4	7000	Cu			
20	035	3	10	Sct	2997	79	72	4	7000	Cu			
21	035	3	10	Sct	2997	79	71	4	7000	Cu			
22	035	3	10	Sct	2997	79	71	4	7000	Cu			
23	035	3	10	Sct	2997	78	71	4	7000	Cu			
24	035	3	10	Sct	2997	77	71	4	7000	Cu			

POSITION	ZONE	TIME
0800 L 21 15.2N	BY	3
λ 157 51.7W	BY	3
1200 L IN port	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 22 JAN (Date)
TO 1200 (ZT) 23 Jan (Date)
SET 080
DRIFT .2KTS

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

42.7

FUEL CONSUMED 0000-2400

584

REMARKS

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 22 (Date) JANUARY (Month), 1964

12-16 CAPT MOORED AS BEFORE.

J E Horton
LTJG USN

16-20 MOORED AS BEFORE. 1600 SET MODIFIED MATERIAL CONDITION YOKE.

J E Horton
LTJG USN

20-24 MOORED AS BEFORE

J E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI AFP-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 23 (Date) JAN (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	CLR	2998	77	71	—	—	—			
02	040	3	10	CLR	3000	77	71	—	—	—			
03	040	4	10	CLR	3000	78	72	—	—	—			
04	040	4	10	CLR	3000	76	72	—	—	—			
05	040	4	10	CLR	3000	79	72	—	—	—			
06	050	4	10	CLR	3000	79	72	—	—	—			
07	050	4	10	CLR	3000	79	73	—	—	—			
08	040	4	10	CLR	3000	80	73	—	—	—			
09	040	4	10	CLR	3000	81	73	—	—	—			
10	040	5	10	CLR	3000	82	74	—	—	—			
11	040	5	10	CLR	3000	82	74	—	—	—			
12	040	4	10	CLR	3000	87	74	—	—	—			
13	060	4	10	CLR	3000	84	75	—	—	—			
14	060	4	10	CLR	3000	85	75	—	—	—			
15	050	4	10	CLR	3000	85	75	—	—	—			
16	050	4	10	CLR	3000	86	74	—	—	—			
17	050	4	10	CLR	3000	84	74	—	—	—			
18	050	4	10	CLR	2999	82	74	—	—	—			
19	050	4	10	CLR	2998	80	73	—	—	—			
20	050	4	10	CLR	2997	79	77	—	—	—			
21	050	4	10	CLR	2998	79	77	—	—	—			
22	050	4	10	CLR	2999	76	73	—	—	—			
23	050	4	10	CLR	2998	79	72	—	—	—			
24	050	4	10	CLR	2997	77	71	—	—	—			

POSITION	ZONE	TIME
0800		
L 14 point		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 105

REMARKS

US NAVAL BASE, PEARL HARBOR, HAWAII

0000-0400 MOORED PORT SIDE TO IN BERTH ALPHA FIVE AUTH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS, CINC PAC FLT.

JE Horton LTJG USN

0400-0800 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS ABSENTEES NONE.

JE Horton
LTJG USN

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: R D Mason, Jr. LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 23 (Date) JAN (Month) 19 60

08-12 Moored as before. 0915 Made daily inspection of magazine; conditions normal

RS Mason, Ltjg, USNR

12-16 - Moored as before

RS Mason, Ltjg, USNR

16-20 Moored as before. 1800 Set material condition Yoke (Modified).

RS Mason, Ltjg, USNR

20-24 Moored as before.

RS Mason, Ltjg

APPROVED: CC Reed Lt. U. S. N. COMMANDING

EXAMINED: RS Mason Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION + 10W DATE Friday 24 JAN (Day) (Date) (Month), 1964

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	Sct	2999	77	75	1	1000	Cu			
02	040	2	10	Sct	3000	77	75	1	1000	Cu			
03	040	2	10	Sct	3000	78	76	1	1000	Cu			
04	060	2	10	Sct	3000	78	76	2	1000	Cu			
05	060	2	10	Sct	3000	79	76	2	1000	Cu			
06	060	2	10	Sct	3000	79	76	2	1000	Cu			
07	060	2	10	Sct	3000	80	76	2	1000	Cu			
08	050	2	10	Sct	3000	80	77	2	2000	Cu			
09	050	2	10	Sct	3000	81	77	2	2000	Cu			
10	050	2	10	Sct	3000	82	77	2	2000	Cu			
11	050	4	10	Sct	3000	83	77	2	2000	Cu			
12	050	4	10	Sct	3000	85	78	1	2000	Cu			
13	050	4	10	Sct	2999	87	79	1	2000	Cu			
14	050	4	10	Sct	2999	88	80	1	2000	Cu			
15	050	4	10	Sct	3000	85	80	1	2000	Cu			
16	050	4	10	Sct	3000	86	80	2	2000	Cu			
17	050	4	10	Sct	3000	84	81	2	2000	Cu			
18	050	4	10	Sct	3000	82	84	2	2000	Cu			
19	050	4	10	Sct	3000	81	79	2	2000	Cu			
20	050	4	10	Sct	3000	80	78	2	2000	Cu			
21	050	2	10	Sct	3000	79	77	2	2000	Cu			
22	050	2	10	Sct	3000	79	76	2	2000	Cu			
23	040	2	10	Sct	3000	79	75	2	2000	Cu			
24	040	2	10	Sct	3000	78	75	2	2000	Cu			

POSITION	ZONE	TIME
0800 L	In port	BY _____
λ		BY _____
1200 L	20°51.0N	BY 3
λ	158 12.5W	BY 3
2000 L		BY _____
λ		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0.

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored portside to berth A-5 U.S. NAVAL Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke (Modified) is set. Receiving fresh water and telephone services from the pier. Ships present include various units of the U.S Pacific Fleet, yard and district craft. SOPA is CINCPACFLT. Series 40 target moored starboard side to. No 574.

RS Mason, Ltjg, USNR.

04-08 Moored as before. 0730 Mustered the crew on stations absentees none. 0740 Set the Special sea and anchor detail. Completed all preparations for getting underway. Captain and Navigator on the bridge. 0800 Let the conn. 0745 Underway

RS Mason, Ltjg, USNR

08-12. Moored as before. 0800 Underway for OpArea G-1, with Series 40 target sled no. 574 in Tow in accordance with Fltra Inst Op Order No 3-63. Commenced maneuvering on various courses at various speeds

APPROVED: CC Reed Lt. U. S. N. COMMANDING

EXAMINED: RS Mason Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 24 (Date) January (Month) 1964

~~04-08 (cont) to clear berth.~~ ~~R S Rosen, Stg, USNR~~

08-12 (cont) Underway as before. 0803 commenced steering various courses at various c to conform with Pearl Harbor Channel. 0813 Buoy 7 abeam to port distance abeam 100 yds. 0814 Passed buoy 5 abeam distance abeam 100 yds. 0816 C/C To 156°. 0817 Passed buoy 3 abeam to port distance abeam 100 yds. 0824 Passed buoy 1 abeam to port distance abeam 100 yds. 0825 Secured the Special Sea and Anchor detail. 0826 Veered sled to 600 feet.

R S Rosen, Stg, USNR

08-12 (Cont'd). Underway as before: 0829 OOD has the Conn. 0838 C/S 10.1 Kts. 0840 entered International Waters. C/S 11.3 Kts. 0843 C/C 208°; 0905 C/C 213°; 0913 C/C 208°; 0923 Made daily Inspection of magazines, and tested the magazine sprinkler system. Inspection & test Were satisfactory. 1031 C/C 237°; 1040 C/S 12.3 Kts. 1042 tested reguis to General alarm System, test satisfactory. 1046 C/S 12.3 Kts. 1108 C/C 250°; 1125 C/C 160°; C/S 9.5 Kts. 1130 Commenced Exercise 2-21-6 with USS JENKINS (DD-447) Target sled at 3600 feet. Jenkins OCE. 1154 C/S 13.3 Kts, at various speeds to conform to Exercise requirements.

J.L. Hollis, CWO2, USN

12-16 Underway as before. 1220 C/C 240°; 1231 Secured from Exercise 2-21-6. and released By OCE To return to port. 1332 C/S 9.5 Kts. 1333 C/C 060°; 1336 Ens Turner has the Conn.

J.L. Hollis, CWO-2, USN.

12-16 (CON'T) Underway as before 1355 C/S to 12.3 Kts 1455 C/C to 040°

Ens James Ens USN

16-20 Underway as before. 1619 Entered inland waters. 1622 Set special sea and anchor detail. Captain and Navigator on the bridge. OOD has the Conn. 1624 C/C to 337°. 1626 C/C to 339° 1627 C/C to 9.5 Kts 1629 Passed buoy 2 abeam to starboard. commenced steering various courses at various speeds to conform to Pearl Harbor channel. 1640 YTL-533 came alongside and Hook S-40 sled #590. 1716 Captain has the conn. 1720 moored Starboard side to Siena 18 U.S. Submarine base Pearl Harbor Hawaii. 1722 Secured special Sea and anchor detail.

Ens James Ens USN

16-20 (cont) 1800 at material condition yoke (modified)

J.L. Hollis, CWO2, USN

20-24 Moored as before.

J.L. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Rosen Stg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SATURDAY (Day) 25 (Date) January (Month), 1964

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	Sct	3004	77	71	3	1000	Cu			
02	040	1	10	Sct	3005	78	72	3	2000	Cu			
03	040	1	10	Sct	3006	79	73	3	2000	Cu			
04	040	1	10	Sct	3007	80	74	3	2000	Cu			
05	010	1	10	Sct	3009	80	74	3	2000	Cu			
06	010	2	10	Sct	3011	80	74	3	2000	Cu			
07	010	2	10	Sct	3011	80	74	3	2000	Cu			
08	010	2	10	Sct	3009	80	74	3	2000	Cu			
09	045	2	10	Sct	3008	80	74	3	2000	Cu			
10	045	1	10	Sct	3008	80	74	2	2000	Cu			
11	055	1	10	Sct	3006	81	74	2	2000	Cu			
12	015	1	10	Sct	3006	83	75	2	2000	Cu			
13	015	1	10	Sct	3006	85	75	2	2000	Cu			
14	015	1	10	Sct	3006	87	75	2	2000	Cu			
15	015	1	10	Sct	3006	88	76	2	2000	Cu			
16	030	1	10	Sct	3006	86	76	2	2000	Cu			
17	030	1	10	Sct	3006	84	75	2	2000	Cu			
18	030	1	10	Sct	3005	82	74	2	2000	Cu			
19	030	2	10	Sct	3004	81	74	2	2000	Cu			
20	030	2	10	Sct	3004	80	73	2	2000	Cu			
21	030	2	10	Sct	3004	79	72	2	2000	Cu			
22	030	2	10	Sct	3004	77	71	2	2000	Cu			
23	030	1	10	Sct	3004	77	71	2	2000	Cu			
24	040	1	10	Sct	3004	77	71	2	2000	Cu			

POSITION	ZONE	TIME
0800 L	20°51N	BY 3
λ	158 12.5W	BY 3
1200 L	IN PORT	BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 24 Jan (Date)
TO 1200 (ZT) 24 Jan (Date)
SET 270
DRIFT 2KS

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 85.7

FUEL CONSUMED 0000-2400: 650

REMARKS

00-04 moored starboard side to berth Pier 18, U.S. Naval Submarine Base, Pearl Harbor, Hawaii, with standard mooring lines doubled. Receiving potable water, Electrical power, and telephone service from the piers. Material condition yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. SOPA is COMASWFORPAC. JCH

J. C. Hollis. CWO2 USN

04-08 moored as before. 0745 mustered the crew at ~~on~~ stations. absentees: none. JCH

J. C. Hollis. CWO-2, USN

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: D. S. Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 25 (Date) January (Month), 1964

08-12 Moored as before 0909 Made daily inspection of magazines conditions normal

R M Turner Ens USNR

12-16 Moored as before

R M Turner Ens USNR

16-20 Moored as before 1800 Set material condition Yoke modified

R M Turner Ens USNR

20-24 Moored as before

R M Turner Ens USNR

APPROVED: C Reed Lt U. S. N. COMMANDING

EXAMINED: P S Mason, Lt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Sunday (Day) 26 (Date) January (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	8	Sct	3004	75	72	4	1500	Cu			
02	040	4	8	Sct	3004	75	72	4	1500	Cu			
03	040	4	8	Sct	3005	76	72	4	1500	Cu			
04	040	4	8	Sct	3005	75	72	4	1500	Cu			
05	040	4	10	Sct	3005	75	72	4	1500	Cu			
06	040	4	10	Sct	3005	75	71	4	1500	Cu			
07	040	1	10	Sct	3004	77	72	5	1500	Cu			
08	010	3	10	Sct	3004	78	73	4	1500	Cu			
09	030	2	10	Sct	3005	79	73	4	1500	Cu			
10	030	2	10	Sct	3005	80	74	4	1500	Cu			
11	030	3	10	Sct	3005	80	74	4	1500	Cu			
12	030	3	10	Sct	3005	82	74	4	1500	Cu			
13	030	3	10	Sct	3005	85	76	3	1500	Cu			
14	030	3	10	Sct	3005	85	76	3	1500	Cu			
15	030	2	10	Sct	3005	85	75	3	1500	Cu			
16	030	2	10	Sct	3004	85	75	3	1500	Cu			
17	030	2	10	Sct	3004	82	74	2	1500	Cu			
18	030	2	10	Sct	3004	80	74	2	1500	Cu			
19	030	2	10	Sct	3005	79	74	2	1500	Cu			
20	040	3	10	Sct	3005	78	74	2	1500	Cu			
21	040	3	10	Sct	3003	78	71	2	1500	Cu			
22	040	3	10	Sct	3003	78	71	2	1500	Cu			
23	040	3	10	Sct	3003	78	71	2	1500	Cu			
24	040	3	10	Sct	3002	77	71	2	1500	Cu			

POSITION	ZONE	TIME
0800 L	In port	BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 700

REMARKS

00-04 moored starboard side to berth Siena 18 Oft US naval Submarine base Pearl Harbor Hawaii using standard mooring lines receiving fresh water, electricity and telephone service from the pier. Ships present include various units of the US Pacific fleet and various yard and district small craft. Material condition yoke modified in set. SOPA is COMASWFORPAC

Wm Turner En USN

04-08 moored as before. 0745 mustered crew at quarters absentees none

Wm Turner En USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Brown, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) SUNDAY (Day) 26 (Date) JANUARY (Month), 19 64

Ø8-12 MOORED AS BEFORE. Ø9ØØ MADE DAILY INSPECTION OF MAGAZINES AND SMORELESS POWDER SAMPLES. CONDITIONS: NORMAL

C.P. McKenzie, Ens, USNR.

12-16 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR.

16-2Ø MOORED AS BEFORE. 18Ø Ø SET CONDITION YOKE MODIFIED. MUSTERED THE INPORT FIRE PARTY. ABSENTEES: NONE.

C.P. McKenzie, Ens, USNR.

2Ø-24 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason Styer U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10W DATE MONDAY (Day) 27 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	29.99	75	71	2	3000	Cu			
02	040	2	10	Sct	3000	75	71	2	3000	Cu			
03	040	2	10	Sct	3000	76	72	2	3000	Cu			
04	040	4	10	Sct	3000	74	72	2	3000	Cu			
05	040	4	10	Sct	3001	77	72	2	3000	Cu			
06	040	4	10	Sct	3003	77	72	2	3000	Cu			
07	040	4	10	Sct	3004	78	72	1	1000	Cu			
08	040	4	10	Sct	3004	78	72	1	1000	Cu			
09	040	4	10	CLR	3007	79	73	—	—	—			
10	040	4	10	CLR	3008	80	74	—	—	—			
11	040	4	10	CLR	3008	81	74	—	—	—			
12	040	4	10	CLR	3008	83	75	—	—	—			
13	030	3	10	CLR	3009	85	75	—	—	—			
14	030	3	10	CLR	3007	84	74	—	—	—			
15	030	3	10	CLR	3004	84	74	—	—	—			
16	030	3	10	Sct	3004	82	70	1	3000	Cu			
17	040	3	10	Sct	3004	80	71	2	3000	Cu			
18	040	3	10	Sct	3004	78	71	2	3000	Cu			
19	040	3	10	Sct	3002	78	72	3	3000	Cu			
20	040	4	10	Sct	3002	77	71	3	3000	Cu			
21	040	4	10	Sct	3002	77	71	3	3000	Cu			
22	040	4	10	Sct	3000	74	71	2	3000	Cu			
23	030	4	10	Sct	3000	76	71	2	3000	Cu			
24	040	4	10	Sct	3000	75	71	2	3000	Cu			

POSITION	ZONE	TIME
0800		
L In port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN (S-18) AFT. ~~USN6 STANDARD MOORING LINES DOUBLED.~~ IAW NAVAL Sta SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET DISTRICT AND YARD CRAFT. SOPA IS COMASWFORPAC.

C. P. McKenzie, Ens USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, Ens USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 27 (Date) JANUARY (Month) 19 64

0800-1200 MOORED AS BEFORE. 0823 MADE DAILY INSPECTION OF MAGAZINES; CONDITIONS NORMAL 0847 USS DELIVER (ARS-23) ASSUMED SAR READY DUTY.

L E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

L E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

L E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

L E Horton
LTJG USN.

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R D Thom, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 28 JANUARY (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	6	10	Sct	3000	76	71	.3	1600	Cu			
02	040	7	10	Sct	3000	77	71	3	1600	Cu			
03	040	8	10	Sct	3001	76	71	3	1600	Cu			
04	040	10	10	Sct	3002	76	71	3	1600	Cu			
05	040	8	7	Sct	3002	76	72	3	1600	Cu			
06	040	8	7	Sct	3003	76	72	3	1600	Cu			
07	040	9	9	Sct	3003	76	72	3	1600	Cu			
08	040	10	10	Sct	3003	76	72	3	1600	Cu			
09	040	10	10	Sct	3003	77	72	3	1600	Cu			
10	040	10	10	Sct	3003	78	72	3	1800	Cu	76	040	3
11	095	20	10	Sct	3006	78	74	3	1800	Cu	79	095	4
12	090	21	10	Sct	3008	82	76	3	1800	Cu	78	085	5
13	090	22	10	Sct	3007	83	77	3	1800	Cu	78	085	4
14	100	20	10	BKN	3005	80	75	1	1800	Cu	79	090	6
15	100	18	10	BKN	3004	79	74	8	1500	Cu	78	090	5
16	120	18	10	Sct	3003	77	71	2	1500	Cu	78	090	3
17	120	18	10	BKN	3003	78	71	7	1500	Cu	76	090	3
18	065	11	10	Sct	3003	77	71	3	1500	Cu	76	090	2
19	065	10	10	Sct	3005	77	71	3	1500	Cu	76	080	2
20	066	10	10	Sct	3007	77	69	4	1500	Cu	76	080	2
21	066	13	7	Sct	3011	74	69	4	1500	Cu	76	080	2
22	066	13	7	Sct	3014	74	69	3	1500	Cu	76	080	2
23	065	13	7	Sct	3014	74	69	2	1500	Cu	76	080	2
24	065	12	7	Sct	3014	74	69	2	1500	Cu	76	080	2

POSITION	ZONE	TIME
0800 L	IN PORT	BY
λ		BY
1200 L	21-21.2N	BY 3
λ	157 30W	BY 3
2000 L	22 21N	BY 1,2
λ	155 59.5	BY 1,2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	1200 (ZT) 28 Jan (Date)
TO	2000 (ZT) 28 Jan (Date)
SET	310
DRIFT	.45 KTS

POSITION BETWEEN FIXES	
MID. L	21 51° N
MID. λ	156 20 W

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
150

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN, U.S. SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET, RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

J E Hunter
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS: ABSENTEES. NONE.

J E Hunter
LTJG USN.

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: R R Rosen, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (CDTF-96) Tuesday (Day) 28 (Date) January (Month) 1964

0800-12 Moored As Before. 0845 Set Special Sea And Anchor Detail. Captain And Navigator On The Bridge OOD Has The Conn. Draft Fwd 14'6" Aft 16'2" 0900 Underway From Sierra 18 US Submarine Base Pearl Harbor For San Francisco, Calif In Accordance With ComSerV Pac Sail Ord. 160013Z of January 1964. Maneuvering Various Courses And Speeds To Clear Berth And Head Fair In Channel. 0906 Headed Fair In Chanel. Maneuvering Various Courses To Conform With Pearl Harbor Channel. 0932 Passed Buoy 1 Abeam To Starboard Approx 50yds. Base Course 151° Base Speeds 9.5Kts. 0937 Secured Special Sea Detail. 0940 C/C To 114°

J E Horton
LTJG USN

08-12(con't) Underway as before: 0955 C/S 13.3Kts. 1004 Entered International Waters. 1005 made daily inspection of Magazines. Conditions: Normal. 1103 C/C 056°

J.L. Hollis, CWO-2 USN

12-16 Underway as before

Jon Turner Ens USN

16-18 Underway As Before

J E Horton
LTJG USN.

18-20 UNDER WAY AS BEFORE

F.R. DeLorme BMCA USN

20-24 Underway as before:

J.L. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Lt U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION _____ DATE WEDNESDAY 29 JANUARY, 1964
(Day) (Date) (Month)

~~AT~~/PASSAGE FROM Pearl Harbor Hawaii TO San Francisco Cal

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	Sct	2999	79	71	2	1000	Cu			
02	040	2	10	sct	3000	79	72	2	1000	Cu			
03	040	3	10	sct	3001	80	72	2	1000	Cu			
04	040	3	10	Sct	3000	81	72	2	1000	Cu			
05	040	3	10	Sct	3000	81	73	2	1000	Cu			
06	040	2	10	Sct	3007	81	72	2	1000	Cu			
07	040	2	10	Sct	3008	81	74	2	1000	Cu			
08	040	2	10	Sct	3009	82	74	2	1000	Cu			
09	040	2	10	Sct	3009	82	74	2	1000	Cu			
10	065	4	10	Sct	3010	87	74	2	2000	Cu			
11	065	4	10	Sct	3011	82	74	2	2000	Cu			
12	060	6	10	Sct	3011	81	74	2	2000	Cu			
13	060	6	10	Sct	3012	80	74	3	2000	Cu			
14	065	8	10	Sct	3012	80	74	3	2000	Cu			
15	060	8	10	Sct	3013	80	73	3	2000	Cu			
16	060	10	10	Sct	3013	79	73	3	2000	Cu			
17	065	11	10	Sct	3013	79	73	3	2000	Cu			
18	060	11	10	Sct	3014	79	72	3	2000	Cu			
19	060	12	10	Sct	3012	79	72	3	2000	Cu			
20	060	11	10	Sct	3012	78	72	3	2000	Cu			
21	060	11	10	Sct	3011	77	72	3	2000	Cu			
22	060	11	10	Sct	3010	77	71	3	2000	Cu			
23	065	11	10	Sct	3011	77	71	4	2000	Cu			
24	065	10	10	sct	3012	77	71	4	2000	Cu			

POSITION	ZONE TIME
0800 L IN port	BY
λ	BY
1200 L 21°21N	BY 3
λ 157 30W	BY 3
2000 L 22° 21N	BY 1,2
λ 155 59 5W	BY 1,2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	0900 (ZT) 28 Jan (Date)
TO	1500 (ZT) 28 Jan (Date)
SET	266
DRIFT	1.2 KTS

POSITION BETWEEN FIXES	
MID. L	21° 51' N
MID. λ	156° 40' W

MILES STEAMED 0000-2400
188.3

FUEL CONSUMED 0000-2400
1678

REMARKS

00-04 Steaming Independently from Pearl Harbor Hawaii to San Francisco California In accordance with ComSewPac Sail Card message 160013Z. Base Course 056 Base Speed 13.3 kts. Modified Material Condition Yoke is Set. Readiness Condition V Engineering Condition III and Damage Control Condition III is Set.

Wm Turner Endsley

04-08 Underway As Before 0745 MUSTERED CREW ON STATIONS ABSENTEES NONE

L E Hunter
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R D Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 WEDNESDAY (Day) 29 (Date) JANUARY (Month) 19 64

08-12 UNDER WAY AS BEFORE 0817 SHIFTED CONTROL TO AFTER STEERING 0823 SHIFTED STEERING CONTROL TO BRIDGE 0825 EXERCISE CREW AT GENERAL QUARTERS 0910 SECURED FROM GENERAL QUARTERS 1000 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITIONS: NORMAL

F H Osborne BMCA USN

12-16 Underway as before.

J L Hollis, CWO,2 - USN

16-18 Underway as before

Jim Turner Lieutenant

18-20 UNDERWAY AS BEFORE.

F E Foster
ATTA USN

20-24 UNDER WAY AS BEFORE 2000 C/C 063° T

F H Osborne BMCA USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D V Jason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Thursday (Day) 30 (Date) January (Month), 1964

AT/PASSAGE FROM PEARL HARBOR, Hawaii TO San Francisco, California.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	065	12	10	Sct	30.13	75	68	5	1400	Cu	75	080	3
02	065	11	10	Sct	3012	75	68	4	1400	Cu	75	080	3
03	065	11	10	Sct	3011	75	68	4	1400	Cu	75	080	3
04	065	18	10	Sct	3011	74	66	4	1400	Cu	75	080	3
05	065	15	10	Sct	3011	73	66	2	1400	Cu	75	080	2
06	065	12	10	Sct	3013	73	66	2	1400	Cu	75	080	2
07	065	13	10	Sct	3013	73	66	2	1400	Cu	75	080	2
08	065	13	10	Sct	3014	75	66	4	1600	Cu	74	080	3
09	060	10	10	Sct	3014	76	66	4	1600	Cu	76	080	2
10	070	10	10	Sct	3012	76	67	4	2000	Cu	76	080	2
11	060	14	10	Sct	3012	75	69	4	2000	Cu	76	075	2
12	060	14	10	Sct	3012	75	69	5	2000	Cu	76	075	2
13	060	14	10	Sct	3013	75	69	5	2000	Cu	76	075	2
14	060	14	10	Sct	3013	75	69	6	2000	Cu	76	080	2
15	040	14	10	Sct	3013	75	69	6	2000	Cu	76	080	2
16	065	14	10	Sct	3014	75	69	6	2000	Cu	76	085	2
17	065	14	10	Sct	3014	74	65	6	2000	Cu	76	085	2
18	070	14	10	BKN	3015	74	66	7	2000	Cu	76	085	2
19	075	10	10	BKN	3017	74	66	7	2000	Cu	76	085	2
20	080	9	10	BKN	3015	74	66	7	2000	Cu	76	085	2
21	080	7	10	Sct	3013	74	66	6	2000	Cu	76	075	2
22	080	7	10	Sct	3012	74	65	4	2000	Cu	76	080	2
23	080	7	10	Sct	3011	73	64	6	2000	Cu	76	080	2
24	080	8	10	Sct	3012	73	64	6	2000	Cu	76	080	2

POSITION	ZONE	TIME
0800 L 23° 49.3	BY 1,2	
λ 153° 43.2	BY 1,2	
1200 L 24° 21' 0N	BY 2	
λ 152° 49.3W	BY 2	
2000 L 25° 24 N	BY 2	
λ 151 17.5W	BY 2	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM 0800 (ZT)	29 Jan (Date)
TO 2000 (ZT)	29 Jan (Date)
SET 056	
DRIFT 1Kt	
POSITION BETWEEN FIXES	
MID. L 24° 34' N	
MID. λ 152' 44 W	

MILES STEAMED 0000-2400: 314.0

FUEL CONSUMED 0000-2400: 2688

REMARKS

00-04 Steaming independantly from Pearl Harbor, Hawaii, to San Francisco, California, in accordance with COMSERVPAC sail order msg. 160013Z of January 1964. Base course 063° Base speed 13.3Kts. Material Condition Yoke (modified) set, Readiness Condition V, Engineering Condition III and damage control Condition III are set.

J.L. Hollis, CWO 2, USN

04-08 Underway as before. 0745 Tested ships whistle, General, Steering and Chemical alarm, test satisfactory. Mustered crew on stations absentees none. [illegible] Turner [illegible] USNR

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RD Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 30 (Date) JANUARY (Month) 1964

08-12 Underway As Before. 0838 MADE DAILY INSPECTION OF MAGAZINES CONDITIONS NORMAL.

H C Foster
LTJG USN.

12-16 UNDER WAY AS BEFORE

F M DeLorme BMCA USN

16-18 Underway as before.

J.L. Hollis. CWO2 USN

18-20 Underway as before.

Wm James Eno USN

20-24 Underway As Before

H C Foster
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 31 (Date) JANUARY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO SAN FRANCISCO CALIFORNIA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	10	10	Sct	3017	72	67	2	1000	Cu	74	085	2
02	080	10	10	Sct	3017	72	67	2	1000	Cu	76	085	2
03	080	10	10	Sct	3017	72	67	2	1000	Cu	74	085	2
04	080	10	10	Sct	3018	71	66	4	1000	Cu	76	085	2
05	080	10	10	Sct	3018	70	65	5	1000	Cu	76	085	2
06	080	10	10	BKN	3019	70	65	7	900	Cu	76	080	2
07	080	11	10	BKN	3023	69	66	8	900	Cu	74	080	2
08	076	4	10	BKN	3027	70	66	6	2000	Cu	75	080	2
09	075	11	10	Sct	3027	72	66	3	2000	Cu	72	085	3
10	075	14	10	R	3025	70	66	10	200	St	72	085	3
11	060	4	10	BKN	3025	71	64	9	1000	St	72	085	3
12	090	10.5	10	BKN	3024	73	64	9	800	Sc	72	085	3
13	090	12.5	10	BKN	3023	75	64	9	800	Sc	72	085	3
14	090	11	10	BKN	3023	71	64	9	800	Sc	72	085	3
15	090	11	10	BKN	3023	71	66	9	800	Sc	72	085	3
16	090	11	10	BKN	3023	71	66	9	800	Sc	72	090	3
17	090	11	10	BKN	3023	70	65	9	800	Sc	72	090	3
18	090	11	10	BKN	3023	69	65	9	800	Sc	72	090	3
19	090	12	10	BKN	3024	69	65	9	800	Sc	72	090	3
20	090	12	10	BKN	3024	70	65	9	800	Sc	72	090	2
21	105	12	10	BKN	3025	70	65	9	800	Sc	72	090	2
22	100	12	10	Sct	3026	69	65	5	1600	Sc	72	090	3
23	100	16	10	Sct	3026	69	65	5	1000	Sc	72	090	3
24	101	11	10	BKN	3025	69	65	9	800	Sc	72	090	3

POSITION	ZONE	TIME
0800 L	26 35.2N	BY 2
λ	148 39.8	BY 2
1200 L	27 01.5N	BY 2
λ	147 50.3	BY 2
2000 L	27 52.6	BY 2
λ	145 59W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 30 Jan (Date)
TO 2000 (ZT) 30 Jan (Date)
SET 055
DRIFT 1.5

POSITION BETWEEN FIXES

MID. L 26° 55N
MID. λ 147° 45W

MILES STEAMED 0000-2400: 320

FUEL CONSUMED 0000-2400: 2659

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO SAN FRANCISCO, CALIFORNIA. IN ACCORDANCE WITH COM SERV PAC SAILORDER 160013 Z OF JANUARY 1964. BASE COURSE 063°T BASE SPEED 12.8 KTS. MATERIAL CONDITION YOKE (MODIFIED) READINESS CONDITION V ENGINEERING CONDITION III DAMAGE CONTROL CONDITION III ARE SET

J H DeJarnette BMCA USN

04-08 ~~2140~~ Underway as before. 0528 c/s 11.3 kts. 0533 c/s full 12.8 kts. 0745 Mustered the crew on stations. Absentees; None. Tested the ships whistle, siren, General Chemical and Steering Emergency alarms. Test satisfactory.

J C Wallis QMC USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE FRIDAY (Day) 31 (Date) FEB (Month), 1964

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	075	11	10	BKN	3038	69	65	9	2000	SC	72	090	2
02	075	11	10	BKN	3028	69	65	9	2000	SC	72	090	2
03	085	9	10	BKN	3026	69	63	9	2000	SC	72	090	2
04	105	14	4	BKN	3030	69	63	9	2000	SC	72	085	2
05	110	11	5	BKN	3030	69	63	9	2000	SC	72	085	2
06	120	11	7	BKN	3031	64	64	9	2000	SC	72	085	2
07	105	13	9	BKN	3032	68	64	9	2000	SC	72	090	2
08	105	13	9	BKN	3033	66	63	9	2000	SC	72	090	2
09	110	15	9	BKN	3034	67	63	9	2000	SC	72	090	2
10	110	12	10	BKN	3034	70	62	9	2000	SC	72	090	2
11	110	12	10	BKN	3033	70	64	8	2000	SC	72	090	2
12	110	17	10	BKN	3032	70	64	7	2000	SC	72	090	2
13	085	13	10	SCT	3032	69	64	4	2000	SC	72	090	2
14	082	15	10	SCT	3032	69	64	5	2000	SC	72	090	2
15	085	15	10	SCT	3030	68	64	5	2000	SC	66	090	2
16	085	16	10	SCT	3028	66	62	5	2000	SC	66	100	2
17	095	11	10	SCT	3026	66	62	5	2000	SC	66	100	2
18	111	15	10	SCT	3028	66	62	5	2000	SC	66	100	2
19	110	14	9	SCT	3030	65	61	5	2000	SC	65	100	2
20	110	14	9	SCT	3032	65	61	5	2000	SC	65	100	2
21	100	13	9	SCT	3034	64	61	4	2000	SC	64	100	2
22	100	13	9	SCT	3036	64	60	4	2000	SC	64	100	2
23	100	11	9	SCT	3034	64	60	4	2000	SC	64	100	2
24	085	10	9	SCT	3032	64	60	4	2000	SC	64	100	2

POSITION	ZONE	TIME
0800 L	29°05N	BY 4
λ	143°32'	BY 2
1200 L	29°28N	BY 2,4
λ	142°40W	BY 2,4
2000 L	30°11.6	BY 1,2
λ	140°18.1W	BY 1,2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 31 Jan (Date)
TO 2000 (ZT) 31 Jan (Date)
SET 358
DRIFT .5 KTS

POSITION BETWEEN FIXES

MID. L 142 42W
MID. λ 29°28N

MILES STEAMED 0000-2400
304.4

FUEL CONSUMED 0000-2400
2350

REMARKS

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 FRIDAY (Day) 31 (Date) JANUARY (Month), 19 64

08-12 Underway as before

Lt Turner Ens USN

12-16 Underway As Before

L E Horton
LTJG USN

16-18 UNDER WAY AS BEFORE

F H Osborne BMC USN

18-20 Underway as before.

J O Hollis CWO2 USN

20-24 Underway as before

Lt Turner Ens USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R S Mason Plt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990